

Archives of Surgery

Vol 103 No 2
August 1971

Official Publication, Central Surgical Association, International Cardiovascular Society and Western Surgical Association

EDITORIAL BOARD

Chief Editor, Richard Warren, MD, Boston

Assistant Chief Editor, Robert M. Goldwyn, MD, Brookline, Mass

John M. Beal, MD, Chicago

Eric W. Fonkalsrud, MD, Los Angeles

C. Rollins Hanlon, MD, Chicago

Edward S. Judd, MD, Rochester, Minn

Donald B. Kettlekamp, MD, Iowa City

Paul S. Russell, MD, Boston

Norman E. Shumway, Jr., MD, Palo Alto, Calif

George D. Zuidema, MD, Baltimore

CONSULTING EDITORS

Viking O. Bjork, MD, Stockholm, Sweden

John B. Kinmonth, MS, London, England

Henrick H. Bendixen, MD, La Jolla, Calif

Executive Vice-President:

Ernest B. Howard, MD

Director, Management Services Division:

David W. Powers

General Sales Manager: Charles S. Lauer

Director of Sales: William J. Kissinger

Advertising Services Manager:

Walter H. Kimotek

Circulation Manager: Robert A. Enlow

CONTENTS

PAPERS READ BEFORE THE TWENTY-EIGHTH ANNUAL MEETING OF THE CENTRAL SURGICAL ASSOCIATION, MINNEAPOLIS, MARCH 4-6, 1971

- Adapt or Perish** 103
Stanley O. Hoerr, MD, Cleveland
- Longevity Studies Following Total Gastrectomy: In Children With the Zollinger-Ellison Syndrome** 108
Stuart D. Wilson, MD; William J. Schulte, MD; and Robert C. Meade, MD, Milwaukee
Validates total gastrectomy as treatment of choice—serum gastrin levels may remain elevated for several years.
- Acute Stress Ulceration With Bleeding or Perforation** 116
David P. Girvan, MD, and Ronald B. Passi, MD, London, Ontario, Canada
Gastrectomy and vagotomy recommended for bleeders, omental patch for perforators.
- Reoperation for Achalasia of the Esophagus** 122
Donald L. Patrick, MD; W. Spencer Payne, MD; Arthur M. Olsen, MD; and F. Henry Ellis, Jr., MD, Rochester, Minn
Continued obstruction usually relieved by new myotomy; reflux required resection and reanastomosis.
- Recurrent Peptic Ulcer Following Primary Operations With Vagotomy for Duodenal Ulcer: Results of Surgical Treatment in 42 Patients** 129
Malcolm Stuart, MB, and Stanley O. Hoerr, MD, Cleveland
Gastric resection not a perfect solution, particularly in the pyloroplasty group.
- The Effect of Vagotomy on the Histamine Content of the Gastrointestinal Tract** 133
Frederick A. Reichle, MD; David L. Newcomer; M. Prince Brigham, MD; Rose Marie Reichle; Linda Labinsky; and George P. Rosemond, MD, Philadelphia
Histamine content of proximal intestine decreased by vagotomy, but not by loss of pyloric sphincter.
- Gastrojejunostomy: An Unsatisfactory Drainage Procedure for Vagotomy** 140
Ward O. Griffen, Jr., MD, PhD; J. David Richardson, MD; and Reginald Bolick, MD, Lexington, Ky
Gastroenterostomy results in a higher recurrence rate and more late gastrointestinal symptoms.
- Gastric Mucosal Changes Following Burns in Rats: A Morphological and Metabolic Approach to the Stress Ulcer Problem** 147
Chu-Jeng Chiu, MD, PhD; A. Hope McArdle, PhD; Rea A. Brown, MD; Henry J. Scott, MD; and Fraser N. Gurd, MD, Montreal
Observations on a decrease in mucosal ATP and ability to consume oxygen.
- Vagotomy Limited to the Parietal Cell Mass: Preliminary Patient Studies** 153
Burton Miller, MD; C. Thomas Bombeck, MD; William Schumer, MD; Robert E. Condon, MD; and Lloyd M. Nyhus, MD, Chicago
Basal gastric acid secretion reduced 39%.
- Third Day Surgical Fever** 158
William A. Altemeier, MD; John J. McDonough, MD; and William D. Fullen, MD, Cincinnati
Fifty-four cases of sepsis from inlying catheters—mortality high without early recognition.

Contents continued on p 5.

PUBLICATION STAFF

Offices: 535 N Dearborn St,
Chicago, Ill 60610

Hugh H. Hussey, MD,
Director

Scientific Publications Division
American Medical Association

John H. Talbott, MD,
Corresponding Editor

Robert W. Mayo,
Executive Managing Editor

Norman D. Richey,
Production Manager

Assistant Managing Editor: Wallace E. Myers
(Quality Assurance)

Senior Copy Editors: Dorothy Deering, Al-
dona Zalaskas

Copy Editing: Diana Morgan (supervisor),
Catherine Kozlar, Carol Rosignolo

Proofreading: Joanne C. Mohsen (supervisor),
Lorraine Kruse, Sharon Stephenson, Emily
Thompson, Annemarie Wilde

Art Director: Ralph L. Linnenburger

Art-Layout: Raymond Dorn (manager), Julia
Bero, Gail Harrison, Laura Obecnny, Mary
Palmer, Charlene Teifeld, JoAnne Weiskopf,
Olga Wilszanecky

Production Supervisors: Thomas J. Handrigan
(Illustrations), Marlene M. Hinsch (Editorial),
Frank Van Santen, James P. Bagniewski (Ad-
vertising)

Senior Production Assistants: Florence Meyer,
Suzan Smith

Production Assistants: Pearlle Eugene, Do-
lores Isham, Ruth Kettleson, Elizabeth Sal-
man, Shirley Ures, Patricia Washington,
Rolettha Watkins

Please address communications concerning
accepted or published communications to:
AMA Specialty Journals, 535 N Dearborn St,
Chicago, Ill 60610.

Advertising Offices.—535 N Dearborn St, Chi-
cago 60610, Area Code 312, 527-1500; and
122 E 42nd St, New York 10017, Area Code
212, 867-6640.

Advertising Principles.—Each advertisement
in this issue has been reviewed and complies
with the principles governing advertising in
AMA scientific publications. A copy of these
principles is available upon request.

Subscription Rates.—The yearly rate of the
ARCHIVES OF SURGERY is as follows: United
States, US Possessions, Canada, and Mexico
—one year, \$12; two years, \$18; all other
countries—one year, \$25; two years, \$35.
Special price to residents, interns, and medi-
cal students in the United States, US Posses-
sions, Canada, and Mexico—one year, \$6.
Single copies of the current year and the
immediate past year will be \$1.25 each and
may be ordered from the Circulation Depart-
ment, American Medical Association, 535 N
Dearborn St, Chicago 60610. Back issues
older than two years are available through
Walter J. Johnson, Inc., 115 Fifth Ave, New
York 10003.

Change of Address.—Please notify the pub-
lisher at least six weeks in advance, include
both old and new address, and a mailing
label taken from the most recent copy. In-
clude your new zip code number.

The ARCHIVES OF SURGERY is published
monthly by the American Medical Association,
535 N Dearborn St, Chicago 60610, and
is an official publication of the Association.
Second-class postage paid at Chicago.

Contents continued from p 4.

- Stimulants of Cellular Proliferation in Wounds** 167
J. Wesley Alexander, MD, ScD; John E. Bessert, MD;
Mary Ann McClellan; and William A. Altemeier, MD, Cincinnati
Biologically active mediators identified in lysosomes
of dead cells.
- Renal Insufficiency After Trauma and Sepsis:
A Prospective Functional and Ultrastructural Analysis** 175
Irwin K. Rosenberg, MD; Sham Lal Gupta, MD;
Charles E. Lucas, MD; Aftab A. Khan, MD;
and Barbara F. Rosenberg, MD, Detroit
Trauma and sepsis produce renal
changes which are glomerular in origin.
- Effect of Immunotherapy on Peripheral Lymphocyte Count** 184
W. Jefferson Pendergrast, Jr., MD; O. Robert Boehm, PhD;
and Loren J. Humphrey, MD, PhD, Atlanta
Postimmunization peripheral lymphocyte count increased
if patient responded to vaccine injection.
- Iatrogenic Cardiac Tamponade** 189
Donald B. Effler, MD; Floyd D. Loop, MD;
and Nicola Spampinato, MD, Cleveland
Perforation by diagnostic catheters or biopsies treated
by thoracotomy and pericardial window.
- Surgical Treatment of Pectus Carinatum** 191
Conrad R. Lam, MD, and Rodman E. Taber, MD, Detroit
Two types of pectus carinatum require different
operative procedures.
- Open Lung Biopsy in Infants and Children** 195
William M. Toyama, MD; Cesar N. Reyes, MD;
Ben R. Lawton, MD; and Richard D. Sautter, MD, Marshfield, Wis
The technique gave the answer in 7 of 11
diagnostic problems.
- Common Duct Exploration With and Without
Balloon-Tipped Biliary Catheters** 199
John H. Henzel, MD, and Marion S. DeWeese, MD, Columbia, Mo
Specific potential, though avoidable, complications are
associated with the ballooned biliary catheters.
- Pancreas Transplantation in Man: I. The Donor
and Recipient Operation** 205
Frederick K. Merkel, MD; Stuart M. Poticha, MD;
Earl J. Nudelman, MD; John A. Colwell, MD;
and John J. Bergan, MD, Chicago
The operative steps employ and reemphasize
important general surgical principles.
- The Management of Liver Trauma** 211
Mark P. Owens, MD; Earl F. Wolfman, Jr., MD;
and George K. Chung, MD, Davis, Calif
Multiple organ injury more lethal than extent of
liver injury.
- Hepatic Lobectomy** 216
E. Truman Mays, MD, Louisville
A clear distinction is to be made between hepatic lobes
and hepatic segments.
- Morphologic Changes of the Liver Following
Small Intestinal Bypass for Obesity** 229
Henry R. Shibata, MD; James R. Mackenzie, MD;
and Shao-nan Huang, MD, Montreal
Individual variations in fatty infiltrate noted in long-term
follow-up cases.

Contents continued on p 6.

INDEX TO ADVERTISERS

B
 Burroughs Wellcome Co., Inc.9

C
 Carnation Company26

E
 Eaton Labs., Div. of
 The Norwich Pharmacal Co.11

G
 Geigy Pharm., Div. of
 Ciba-Geigy Corp.7

L
 Lilly, Eli, & Company17-18

P
 Pfizer Labs., Division
 Pfizer Inc.14-15, 24-25
 Purdue Frederick Co.3rd Cover

R
 Roche Labs., Div. of
 Hoffmann-La Roche, Inc. ..2nd Cover-
 3, 12-13, 20-22, 4th Cover

V
 Viobin19

Contents continued from p 5.

Recurrent Inguinal Hernia 238
 E. Thurston Thieme, MD, Ann Arbor, Mich
 Proof that type of operation for recurrence must vary
 with its location.

**Splenic Artery Implantation in the Kidney:
 Effect on Experimental Renal Hypertension** 242
 Carl Manz, MD, and Yoshio Sako, MD, Minneapolis
 Implant cures hypertension and allows ligation of
 renal artery.

Hemodynamics of Carotid-Subclavian Bypass 248
 Hendrick B. Barner, MD; George C. Kaiser, MD;
 and Vallee L. Willman, MD, St. Louis
 Favorable hemodynamic and clinical results in
 eight patients.

Median Arcuate Ligament Syndrome 252
 James C. Stanley, MD, and William J. Fry, MD, Ann Arbor, Mich
 An attempt to clarify doubts as to existence
 of the syndrome.

**Circulatory Arrest During Profound Hypothermia
 for Treatment of Complicated Disease of Major Vessels** 259
 Robert D. Brickman, MD; Adolph J. Yates, MD;
 Crile Crisler, MD; Edwards Schwentker, MD;
 Klaus Bron, MD; and Henry T. Bahnson, MD, Pittsburgh
 Technique found useful in a large pelvic A-V fistula,
 false aneurysms of aorta, and multiple false and A-V aneurysms.

**Early Repair of Ventricular Septal Defect
 in Infants and Young Children** 265
 Farouk S. Idriss, MD; Hisashi Nikaidoh, MD;
 Milton H. Paul, MD; Sarah D. Blumenschein, MD;
 and William L. Riker, MD, Chicago
 Recommended in preference to pulmonary artery banding.

**Comparative Evaluation of Ligation and Partial
 Interruption of the Inferior Vena Cava** 272
 James T. Adams, MD, Bertram E. Feingold, MD;
 and James A. DeWeese, MD, Rochester, NY
 Partial interruption superior on all counts.

**Hemodynamic Effects of Vasodilatation
 in "Critical" Arterial Stenosis** 277
 Wilhelm Kreuzer, MD, and Worthington G. Schenk, Jr., MD, Buffalo
 Vasodilatation caused decreased oxygen consumption in
 tissue distal to arterial stenosis.

**Goodpasture's Syndrome: Treatment With
 Nephrectomy and Renal Transplantation** 283
 Charles G. Halgrimson, MD; Curtis B. Wilson, MD;
 Frank J. Dixon, MD; Israel Penn, MD;
 James T. Anderson, MD; David A. Ogden, MD;
 and Thomas E. Starzl, MD, PhD, Denver
 Delay until anti-GBM antibodies disappear after
 nephrectomy and splenectomy allows successful transplant.

Renal Transplantation in High-Risk Patients 290
 Richard L. Simmons, MD; Carl M. Kjellstrand, MD;
 Theodore J. Buselmeier, MD; and John S. Najarian, MD, Minneapolis
 "High-risk" and "ideal-risk" patients defined.

**Normocalcemic Hyperparathyroidism With
 "Normal" Parathyroid Glands** 299
 William Shieber, MD; Stanley J. Birge, MD;
 Louis V. Avioli, MD; and Steven L. Teitelbaum, MD, St. Louis
 Increased urine calcium and reduced tubular resorption
 of phosphorus aided in diagnosis.

Contents continued on p 8.



**Tell
your
story WITH A
CLASSIFIED
ADVERTISEMENT**

**IN THE JOURNAL OF THE
AMERICAN MEDICAL
ASSOCIATION**

**CHOOSE FROM
THESE CLASSIFICATIONS:**

- APPARATUS FOR SALE
- ASSISTANTS WANTED
- ASSOCIATES
- CLINICS, HOSPITALS,
LABORATORIES, SANATORIA
- DIRECTORS
- FOR RENT
- INTERNS AND RESIDENTS WANTED
- LOCUM TENENS WANTED
- PARTNERS WANTED
- PHYSICIANS WANTED
- PRACTICES FOR SALE
- REAL ESTATE FOR SALE
- SITUATIONS WANTED
- MISCELLANEOUS FOR SALE

WRITE TODAY TO:

**THE JOURNAL
OF THE AMERICAN MEDICAL ASSOCIATION**
Classified Advertising Department
535 North Dearborn Street
Chicago, Illinois 60610

Contents continued from p 6.

Experience With Subtotal Parathyroidectomy for "Tertiary" Hyperparathyroidism John B. Eilert, MD; Donald Casey, MD; Francesco del Greco, MD; and Julius Conn, Jr., MD, Chicago Five patients: results excellent in one, fair in three.	303
Diverting Ileostomy or Colostomy in the Management of Crohn's Disease of the Colon Donald C. McIlrath, MD, Rochester, Minn All patients did well. Some required resection of distal disease.	308
Management and Mismanagement of Bleeding Colonic Diverticula Hassan K. Ramanath, MD, and J. Raymond Hinshaw, MD, Rochester, NY Total abdominal colectomy advised unless exact site of bleeding identified.	311
Natural History of Regional Enterocolitis Ben Willwerth, MD; Jerome J. DeCosse, MD; Harvey J. Dworken, MD; Donald B. McKillop, MD; Cleveland, and Frank Vellios, MD, Dallas Colonic form seen in younger patients and more in females.	315
Route of Retrograde Flow in the Exocrine Pancreas During Ductal Hypertension Dale E. Bockman, PhD; William R. Schiller, MD; and Marion C. Anderson, MD, Toledo, Ohio Access to the periacinar space was through the ductoacinar junction.	321
Results of Palliative Operations for Carcinoma of the Pancreas Nicholas J. Feduska, MD; Thomas L. Dent, MD; and S. Martin Lindenauer, MD, Ann Arbor, Mich Biliary and gastric decompressive operations did not prolong life.	330
Cardiorespiratory Studies in Critical Illness: Changes in Aspiration Pneumonitis Ronald T. Lewis, MB, BS; John H. Burgess, MD, FRCP(C); and Lawrence G. Hampson, MD, FRCS(C), Montreal The lower the gastric pH the higher the mortality.	335
Effect of Cryotherapy on Tracheal Tumors in Rats William P. Skivolocki, MD; William G. Pace, MD; and Neil R. Thomford, MD, Columbus, Ohio Cryoprobe completely eradicated the tumor in 20 rats.	341
Improved Management of Neonates With Congenital Diaphragmatic Hernias E. Thomas Boles, Jr., MD; Medad Schiller, MD; and Malvin Weinberger, MD, Columbus, Ohio Mortality lowered by an energetic, planned program of preoperative resuscitation.	344
REGULAR DEPARTMENTS	
Editorial: Graduate Surgical Training and Affiliated Hospitals	350
Books	352
Index to Advertisers	6