

Archives of Surgery

Vol 104 No 6
June 1972

Official Publication, Central Surgical Association, International Cardiovascular Society and Western Surgical Association

EDITORIAL BOARD

Richard Warren, MD, Boston
Chief Editor

Robert M. Goldwyn, MD, Brookline, Mass
Assistant Chief Editor

Henrik H. Bendixen, MD, San Diego, Calif

Eric W. Fonkalsrud, MD, Los Angeles

C. Rollins Hanlon, MD, Chicago

Edward S. Judd, MD, Rochester, Minn

Donald B. Kettlekamp, MD, Little Rock, Ark

Paul S. Russell, MD, Boston

David C. Sabiston, Jr., MD, Durham, NC

Norman E. Shumway, Jr., MD, Palo Alto, Calif

Robert Zeppa, MD, Miami, Fla

George D. Zuidema, MD, Baltimore

CONSULTING EDITORS

Viking O. Bjork, MD, Stockholm, Sweden

John B. Kinmonth, MS, London, England

Ernest B. Howard, MD
Executive Vice-President

David W. Powers
Director, Management Services Division

William J. Kissinger
General Sales Manager

Walter H. Kimotek
Advertising Services Manager

Robert A. Enlow
Circulation Manager

CONTENTS

EDITORIAL

- Reassessment of Surgical Specialty Training in the United States** 759
E. W. F.

PAPERS READ BEFORE THE ANNUAL MEETING OF THE SOUTHERN CALIFORNIA CHAPTER OF THE AMERICAN COLLEGE OF SURGEONS, SANTA BARBARA, CALIF, JAN 14-16, 1972

- Surgery in Patients With Sickle Cell Disease** 761
Auri Spigelman, MD, and M. James Warden, MD, Los Angeles

Black children and adolescents all should have preoperative screening for hemoglobins.

- Experimental Fecal Peritonitis: Influence of Barium Sulfate or Water-Soluble Radiographic Contrast Material on Survival** 765

Ronald J. Sisel, MD; Arthur J. Donovan, MD; and Albert E. Yellin, MD, Los Angeles

Water-soluble contrast material safer.

- Primary Carcinoma of the Gallbladder: Review of 28 Cases** 769

James B. Klein, MD, and Frank M. Finck, MD, Los Angeles

Two patients living five years after cholecystectomy.

- The Use of Tolonium in the Diagnosis of Malignant Gastric Lesions** 773

Tatsuo Yamakawa, MD; Eric von Hofe; Robert Kagan; and Leon Morgenstern, MD, Los Angeles

Oral administration stained 12 of 13 malignant rat tumors.

- Inguinal Hernia and Colorectal Carcinoma** 778

George L. Juler, MD; Edward A. Stemmer, MD; and Robert W. Fullerman, MD, Irvine, Calif

Routine barium enema unrewarding, even in elderly admitted for hernia.

- Subcapsular Hematoma of the Liver: Nonoperative Management** 781

Jerome P. Richie, MD, and Eric W. Fonkalsrud, MD, Los Angeles

Four cases documented by sequential liver scans.

- The Surgical Management of Liver Trauma** 785

Palmer White, MD, and Richard J. Cleveland, MD, Los Angeles

Only one death in 71 patients with isolated liver injury.

- Benign Gastroenteric Fistula and Aspirin Abuse** 787

Michael E. Peter, MD, and John R. Benfield, MD, Los Angeles

One-third of 24 patients reviewed had used steroids and aspirin.

- Functional Recovery From Acute Rejection as a Guide to Ultimate Renal Graft Survival** 791

Glen R. Silcott, MD; Benjamin H. Barbour, MD; Robert Mendez, MD; Margot D. Bischel, MD; and Thomas V. Berne, MD, Los Angeles

Fourth rejection episode means chance of graft survival below 20%.

Contents continued on p 738.

PUBLICATION STAFF

Offices: 535 N Dearborn St
Chicago, Ill 60610

Hugh H. Hussey, MD,
Director

Scientific Publications Division
American Medical Association

Hugh H. Hussey, MD,
Corresponding Editor

Ernest W. Beck
Executive Managing Editor

Norman D. Richey,
Production Manager

Assistant Managing Editor: Charles F. Chapman

Manuscript Quality Review: Dorothy K. Deering (supervisor), Pamela Goorsky, Eileen Wickboldt

Copy Editing: Diana Morgan (supervisor), Jane Lantz, Jodey Schonfeld

Proofreading: Lorraine L. Kruse (supervisor), Elvina Nerwin, Anne Smith, Sharon L. Stephenson, Dorothy Waier

Indexer: Helen A. Ehrhardt

Art Director: Ralph L. Linnenburger

Art Production: Raymond Dorn (manager), Julia Bero, Laura Obecný, Mary Palmer, Charlene Teifeld, JoAnne Weiskopf, Olga Wilszanecky

Production Supervisors: Thomas J. Handrigan (Illustrations), Marlene M. Hinsch (Editorial), James P. Bagniewski (Advertising), Frank Van Santen (Production Services)

Senior Production Assistants: M. Kathleen Berka, Florence Meyer, Suzan Smith

Production Assistants: Martina Clarke, Ruth Kettleson, Bernadette Logocki, Catherine Pel-tier, Karen M. Qadri, Rolettha Watkins

Please address communications concerning accepted or published communications to: AMA Specialty Journals, 535 N Dearborn St, Chicago, Ill 60610.

Advertising Offices.—535 N Dearborn St, Chicago 60610, Area Code 312, 527-1500; and 122 E 42nd St, New York 10017, Area Code 212, 867-6640.

Advertising Principles.—Each advertisement in this issue has been reviewed and complies with the principles governing advertising in AMA scientific publications. A copy of these principles is available upon request.

Subscription Rates.—The yearly rate of the ARCHIVES OF SURGERY is as follows: United States, US Possessions, Canada, and Mexico—one year, \$12; two years, \$18; all other countries—one year, \$25; two years, \$35. Special price to residents, interns, and medical students in the United States, US Possessions, Canada, and Mexico—one year, \$6. Single copies of the current year and the immediate past year will be \$1.25 each and may be ordered from the Circulation Department, American Medical Association, 535 N Dearborn St, Chicago 60610. Back issues older than two years are available through Walter J. Johnson, Inc., 115 Fifth Ave, New York 10003.

Change of Address.—Please notify the publisher at least six weeks in advance, include both old and new address, and a mailing label taken from the most recent copy. Include your new zip code number.

THE ARCHIVES OF SURGERY is published monthly by the American Medical Association, 535 N Dearborn St, Chicago 60610, and is an official publication of the Association, Second-class postage paid at Chicago, and at additional mailing office.

Contents continued from p 736.

Volkman's Contracture Associated With Prolonged External Pressure on the Forearm 794

Arthur H. Osborne, MD; Lee R. Dorey, MD; and J. Paul Harvey, Jr., MD, Los Angeles

Prolonged external pressure in comatose patients is an increasingly frequent cause.

Muscle Surface pH Monitoring: Evaluation and Clinical Application 799

Joseph M. Van De Water, MD; Peter A. Philips, MD; Larry A. Linton; Richard W. Borst; and William R. Fisher, Duarte, Calif

Muscle pH more sensitive to hypovolemia than systemic blood pressure or arterial pH.

Porcine Xenograft Burn Dressings: A Critical Reappraisal 806

John C. German, MD; Telford E. Wooley, MD; Bruce Achauer, MD; David W. Furnas, MD; and Robert H. Bartlett, MD, Orange, Calif

Control study demonstrated no local advantage over antibiotic cream alone.

The Composite Operation in Cancer of the Head and Neck (Commando Procedure) 809

Robert H. Yonemoto, MD; Philip T. Ching, MD; Ralph L. Byron, MD; and Daniel U. Riihimaki, MD, Duarte, Calif

Local control of disease almost more important than lymph node resection.

Reoperation for Early Complications of Arterial Surgery 814

Gordon Sproul, MD; Jerry M. Pinto, MD; Max J. Trummer, MD; and Dwight M. Stevens, San Diego, Calif

Important statistical documentation of incidence and mortality of reoperation.

ORIGINAL ARTICLES

Lymphography of the Testis and Its Adnexa in the Normal and in Idiopathic Hydrocele 820

Michael P. McBrien, MB, FRCS; John M. Edwards, MS, FRCS; and John B. Kinmonth, MS, FRCS, London

Both a lymphatic defect and increased capillary permeability observed in idiopathic hydrocele.

The Patency and Luminal Diameter of Distal Coronary Arteries in Fatal, Acute Myocardial Infarction 826

Daniel R. Alonso, MD; Robert G. Carlson, MD; Francisco A. Roters, MD; Thomas Killip, MD; and C. Walton Lillehei, MD, New York

Over 90% of arteries of suitable size for bypass.

Chronically Incarcerated Hiatus Hernia 831

John W. Bell, MD, Seattle

Satisfactory repairs achieved transabdominally.

Late Development of Vesical Fistulas Following Radiotherapy for Carcinoma of the Cervix 836

Alvaro Morales, MD, and John Steyn, PhD, FRCS, Aberdeen, Scotland

Three patients developed fistulas 4, 16, and 17 years after radiation.

EXPERIMENTAL SURGERY

Hemodynamics of Disseminated Intravascular Coagulation: Effects of Intra-Aortic Thrombin Infusions on Renal and Mesenteric Blood Flow in the Dog

Johan Hoie, MD, and Worthington G. Schenk, Jr., MD, FACS, Buffalo

Renal blood flow decreased, but not mesenteric blood flow.

838

CLINICAL NOTES

Lipofibromyxosarcoma of the Scrotum: A Case Report and Review of Literature

Giuseppe C. Castellano, MD, and Eugene H. Ruffolo, MD, Tampa, Fla

Second case reported to involve scrotal wall.

842

Intraocular Nocardiosis in a Renal Transplant Patient

Pasit Panijayanond, MD; Carl A. Olsson, MD; Martin L. Spivack, MD;
Gunther W. Schmitt, MD; Beldon A. Idelson, MD; Baruch J. Sachs, MD ;
and Donald C. Nabseth, MD, Boston

Enucleation plus long-term sulfisoxazole therapy
seem to have caused cure.

845

Bone: A Site of Metastatic Basal Cell Carcinoma

Chalmers E. Cornelius, III, MD, Philadelphia

Metastases to bone not infrequent.

848

Mesenteric Fibromatosis Following Colectomy for Familial Polyposis

Amado G. Chanco, Jr., MD, and Earl F. Rose, MD, Iowa City

Early recognition and resection important.

851

TECHNIQUE

A New Suture Retention Bridge

Joseph M. Miller, MD, Baltimore

Tension adjustable.

853

Saphenofemoral Shunt: Its Application in Long-Term Hemodialysis

Casimir F. Firlit, MD, PhD, and John Canning, MD, Hines, Ill

Favorable experience with three patients.

854

REGULAR DEPARTMENTS

Books

856

News and Comment


858

Index to Volume 104

859

Index to Advertisers

741

A vertical advertisement for Ampicillin. The word "Ampicillin" is written vertically in a large, bold, sans-serif font. The letters are filled with a dense, stippled pattern. Below the word, the text "Beecham found it, named it, put it in your hands." is written in a smaller, clean font. The background is solid black.

Prescribe
the discoverer's brand
Totacillin^{®*}
(ampicillin trihydrate)

*capsules equivalent to 250 mg. and 500 mg.
ampicillin, for oral suspension equivalent
to 125 mg./5 cc. and 250 mg./5 cc. ampicillin.

BMP

Beecham-Massengill Pharmaceuticals
Division of Beecham Inc. Bristol, Tennessee 37620