

# Archives of Surgery

Vol 105 No 2  
August 1972

Official Publication, Central Surgical Association, International Cardiovascular Society and Western Surgical Association

## EDITORIAL BOARD

**Richard Warren, MD, Boston**  
Chief Editor

**Robert M. Goldwyn, MD, Brookline, Mass**  
Assistant Chief Editor

**Henrik H. Bendixen, MD, San Diego, Calif**

**Eric W. Fonkalsrud, MD, Los Angeles**

**C. Rollins Hanlon, MD, Chicago**

**Edward S. Judd, MD, Rochester, Minn**

**Donald B. Kettlekamp, MD, Little Rock, Ark**

**Paul S. Russell, MD, Boston**

**David C. Sabiston, Jr., MD, Durham, NC**

**Norman E. Shumway, Jr., MD, Palo Alto, Calif**

**Robert Zeppa, MD, Miami, Fla**

**George D. Zuidema, MD, Baltimore**

## CONSULTING EDITORS

**Viking O. Bjork, MD, Stockholm, Sweden**

**John B. Kinmonth, MS, London, England**

**Ernest B. Howard, MD**  
Executive Vice-President

**David W. Powers**  
Director, Management Services Division

**William J. Kissinger**  
General Sales Manager

**Walter H. Kimotek**  
Advertising Services Manager

**Robert A. Enlow**  
Circulation Manager

Please address communications concerning accepted or published communications to: AMA Specialty Journals, 535 N Dearborn St, Chicago, Ill 60610.

## CONTENTS

### PAPERS READ BEFORE THE TWENTY-NINTH ANNUAL MEETING OF THE CENTRAL SURGICAL ASSOCIATION, CHICAGO, MARCH 2-4, 1972

- The Heart of the Matter** 149  
Vallee L. Willman, MD, St. Louis
- Intestinal Ischemia and Some Organic Substances in Serum and Abdominal Fluid** 151  
Benjamin F. Rush, Jr., MD; William R. Host, MD; John Fewel; and John Hsieh, Newark, NJ  
Intestinal alkaline phosphatase rose significantly in ischemia, not in simple intestinal obstruction.
- Amylase in the Management of Pancreatic Trauma** 158  
Palmer H. White, MD, and John R. Benfield, MD, Los Angeles  
Normal urinary diastase good indicator of when to discontinue nasogastric suction.
- Acute Pancreatitis and Hyperamylasemia in Renal Homograft Recipients** 167  
Israel Penn, MD; Arie L. Durst, MD; Marcel Machado, MD; Charles G. Halgrimson, MD; Arthur S. Booth, Jr., MD; Charles W. Putman; Carl G. Groth, MD; and Thomas E. Starzl, MD, Denver  
Pancreatitis is more common after transplantation than is generally realized and carries a high mortality.
- Prophylactic Abdominal Drains** 173  
Paul F. Nora, MD; Robert M. Vanecko, MD; and James J. Bransfield, MD, Chicago  
Ninety percent of the interior end of drains showed positive cultures at one week.
- Posttraumatic Gastric Bleeding: Prospective Gastric Secretion Composition** 177  
John F. Stremple, MD; Mark D. Molot, MD; J. Judson McNamara, MD; Haruki Mori, MD; and George B. Jerzy Glass, MD, Pittsburgh  
Gastric mucosa leaked proteins after severe trauma.
- Snowmobiling Injuries** 188  
James J. Mongé, MD, Duluth, Minn; and Nicholas F. Reuter, MD, Great Falls, Mont  
There are 2 million snowmobiles in U.S.A.
- Interstitial Fluid and Serum Antibiotic Concentrations** 192  
Norton G. Waterman, MD, and Louis B. Kastan, MD, Louisville  
Intravenous antibiotic reaches maximum in dissected tissue in 1-2 hours.
- Severe Alkalosis in Critically Ill Surgical Patients** 197  
Robert F. Wilson, MD; Dennis Gibson; Ahmet K. Percinel, MD; Mohammed A. Ali, MD; Graeme Baker, MB Ch, FCS (SA); L. Philippe LeBlanc, MD, FRCS (C); and Charles Lucas, MD, Detroit  
Poor prognosis if pH exceeds 7.55, especially in patients with sepsis and respiratory failure.

Contents continued on p 140.

139

<p><b>Surgery in von Willebrand's Disease</b> Susan Adelman, MD; Raymond W. Monto, MD; and Joseph L. Ponka, MD, Detroit Pretreatment with steroids and fresh plasma makes operation safe.</p> <p><b>Thromboembolic Complications During Anticoagulant Therapy</b> William W. Coon, MD, and Park W. Willis III, MD, Ann Arbor, Mich Statistical proof of superiority of heparin.</p> <p><b>Adrenal Cortical Function in Severe Burns</b> Leslie Wise, MD; Harry W. Margraf, ScD; and Walter F. Ballinger, MD, St. Louis Severe burns cause secretion of corticosteroids other than cortisol.</p> <p><b>Critical Evaluation of Laparotomy and Splenectomy in Hodgkin's Disease</b> William R. Meeker, Jr., MD; James D. Richardson, MD; Wilk O. West, MD; and Joseph C. Parker, MD, Lexington, Ky Definite morbidity urges strict indications.</p> <p><b>Rejection Crises in Human Renal Transplant Recipients: Control With High Dose Methylprednisolone Therapy</b> Jeremiah G. Turcotte, MD; Nicholas J. Feduska, MD; Ernest W. Carpenter, MD; Franklin D. McDonald, MD; and George E. Bacon, MD, Ann Arbor, Mich Thirty mg/kg iv q 2-3d. reversed or halted 92% of rejection episodes.</p> <p><b>The Crossmatch Profile and Other Extended Crossmatch Methods in Clinical Transplantation</b> James E. Colberg, MD, Philadelphia; Patricia McGrath; Hertha Cress, PhD; Neil Lempert, MD; and Charles Eckert, MD, Albany, NY Described method 22% more accurate than previous ones.</p> <p><b>Definite Surgical Management of Hirschsprung's Disease</b> Joseph A. SanFilippo, MD; James E. Allen, MD; and Theodore C. Jewett, MD, Buffalo Endorectal pullthrough procedure had best results.</p> <p><b>Portal Hypertension in Children</b> John G. Raffensperger, MD; Arnold A. Shkolnik, MD; Joseph D. Boggs, MD; and Orvar Swenson, MD, Chicago Spleno renal shunts prevented further bleeding in only one-third of patients.</p> <p><b>Coagulation and Platelet Changes in Rejected Renal Allografts</b> Arun Pultavituma, MD; Jose Azcarate, MD; Eberhard F. Mammen, MD; Barbara Rosenberg, MD; and J. C. Rosenberg, MD, PhD, Detroit Platelet aggregation during acute rejection contributes to destruction of renal transplant in dogs.</p> <p><b>Pulmonary Complications in Transplant Recipients</b> Richard L. Simmons, MD; Victor M. Uranga, MD; E. Schrae LaPlante, MD; Theodore J. Buselmeier, MD; Carl M. Kjellstrand, MD; and John S. Najarian, MD, Minneapolis Clear classification and identification of six types.</p>	<p>204</p> <p>209</p> <p>213</p> <p>222</p> <p>230</p> <p>237</p> <p>245</p> <p>249</p> <p>255</p> <p>260</p>
---	---

**PUBLICATION STAFF**

Offices: 535 N Dearborn St  
Chicago, Ill 60610

**Hugh H. Hussey, MD,**  
Director

Scientific Publications Division  
American Medical Association

**Hugh H. Hussey, MD,**  
Corresponding Editor

**Ernest W. Beck**  
Executive Managing Editor

**Norman D. Richey,**  
Production Manager

**Assistant Managing Editor:** Charles F. Chapman

**Administrative Assistants for Special Projects:** Wendy C. O'Donnell, Bonnie M. Van Cleven

**Manuscript Quality Review:** Dorothy K. Deering (supervisor), Pamela Gooresky, Eileen Wickboldt

**Copy Editing:** Diana A. Morgan (supervisor), Jane Lantz, Catherine Kane, Jodey Schonfeld

**Supervisor for Editorial Training:** Diana E. Suprinski

**Proofreading:** Lorraine L. Kruse (supervisor), Daina Danilevicius, Vivian LaBelle, Elvina Nerwin, Lana Thiery, Dorothy Waier

**Indexer:** Helen A. Ehrhardt

**Art Director:** Ralph L. Linnenburger

**Art Production:** Raymond Dorn (manager), Julia Bero, Laura Obecny, Mary Palmer, Charlene Teifeld, JoAnne Weiskopf, Olga Wilszanecky

**Production Supervisors:** Thomas J. Handrigan (Illustrations), Marlene M. Hinsch (Editorial), James P. Bagniewski (Advertising), Frank Van Santen (Production Services)

**Senior Production Assistants:** M. Kathleen Berka, Florence Meyer, Suzan Smith

**Production Assistants:** Martina Clarke, Ruth Kettleson, Bernadette Logocki, Catherine Peitler, Karen M. Qadri, Roletha Watkins

**Advertising Offices.**—535 N Dearborn St, Chicago 60610, Area Code 312, 527-1500; and 122 E 42nd St, New York 10017, Area Code 212, 867-6640.


**Advertising Principles.**—Each advertisement in this issue has been reviewed and complies with the principles governing advertising in AMA scientific publications. A copy of these principles is available upon request.

**Subscription Rates.**—The yearly rate of the ARCHIVES OF SURGERY is as follows: United States, US Possessions, Canada, and Mexico—one year, \$12; two years, \$18; all other countries—one year, \$25; two years, \$35. Special price to residents, interns, and medical students in the United States, US Possessions, Canada, and Mexico—one year, \$6. Single copies of the current year and the immediate past year will be \$1.25 each and may be ordered from the Circulation Department, American Medical Association, 535 N Dearborn St, Chicago 60610. Back issues older than two years are available through Walter J. Johnson, Inc., 115 Fifth Ave, New York 10003.

**Change of Address.**—Please notify the publisher at least six weeks in advance, include both old and new address, and a mailing label taken from the most recent copy. Include your new zip code number.

THE ARCHIVES OF SURGERY is published monthly by the American Medical Association, 535 N Dearborn St, Chicago 60610, and is an official publication of the Association, Second-class postage paid at Chicago, and at additional mailing office.

<b>An Operation for Tracheal-Innominate Artery Fistula</b>	<b>269</b>
William O. Myers, MD; Ben R. Lawton, MD; and Richard D. Sautter, MD, Marshfield, Wis	
Axillo-axillary bypass allowed innominate artery ligation.	
<b>Experimental Pulmonary Fat Embolism: Effects of Pulmonary Function by Resperine Pretreatment</b>	<b>275</b>
Erich Moritz, MD; John R. Border, MD; Edmund F. Schueller, MD; and Worthington G. Schenk, Jr., MD, Buffalo	
Serotonin probably released in response to fat embolism.	
<b>Hepatic Artery Ligation and Cytotoxic Infusion in Treatment of Liver Metastases</b>	<b>280</b>
Hrair P. Gulesserian, MD; Richard L. Lawton, MD; and Robert E. Condon, MD, Iowa City	
Impairment of liver function temporary: metastases shrank in all.	
<b>Cancer of the Right Lobe of the Liver: A Variety of Operative Procedures</b>	<b>289</b>
Charles M. McBride, MD, and Sidney Wallace, MD, Houston	
Five of 18 patients living and free of disease.	
<b>Prophylactic Postoperative Radiotherapy and Consecutive Primary Cancers</b>	<b>297</b>
John A. McCredie, MCh, RFCS; W. Roger Inch, PhD; and Marion Alderson, RN, London, Ontario, Canada	
Radiotherapy did not lead to more primary cancers.	
<b>Cryosurgery of Tumors Involving the Facial Nerve</b>	<b>306</b>
Lois M. Breidenbach, MD; Neil Thomford, MD; and William G. Pace, MD, Columbus, Ohio	
Destroyed tumors while preserving the nerves.	
<b>Use of the Doppler Ultrasonic Flowmeter During Arterial Vascular Surgery</b>	<b>308</b>
W. Ford Keitzer, MD; Edgar L. Lichti, PhD; Frederick A. Bossart, MD; and Marion S. De Weese, MD, Columbia, Mo	
Intraoperative use has decreased reoperation rate and mortality.	
<b>Peripheral Ischemia and Collagen Disease: Clinical Manifestations, Diagnosis, and Treatment</b>	<b>313</b>
Ralph G. DePalma, MD; Roland W. Moskowitz, MD; and William D. Holden, MD, Cleveland	
Definition of three groups provides helpful therapeutic emphasis.	
<b>Aortocoronary Bypass Grafting</b>	<b>319</b>
George C. Kaiser, MD; Hendrick B. Barner, MD; Vallee L. Willman, MD; J. Gerald Mudd, MD; Edwin W. Westura, MD; and Lawrence E. Alves, MD, St. Louis	
Ninety percent of survivors cured of angina.	
<b>Surgical Management of "Vascular Rings"</b>	<b>327</b>
Hisashi Nikaïdoh, MD; William L. Riker, MD; and Farouk S. Idriss, MD, Chicago	
Esophagography is valuable for diagnosis, and the long-term results are gratifying.	
<b>Contents continued on p 144.</b>	



Prescribe  
the discoverer's brand  
**Totacillin**<sup>®\*</sup>  
(ampicillin trihydrate)

\*capsules equivalent to 250 mg. and 500 mg.  
ampicillin, for oral suspension equivalent  
to 125 mg./5 cc. and 250 mg./5 cc. ampicillin.

**BMP**

Beecham-Massengill Pharmaceuticals  
Division of Beecham Inc. Bristol, Tennessee 37620