

EDITORIALS

- Modern Diagnosis of Jaundice: Embarras de Richesses** 555
Ben Eiseman, MD, Dan Escajeda, Denver
- The Association of Veterans Administration Surgeons** 557
Raymond C. Read, MD, Little Rock, Ark

ORIGINAL ARTICLES

- Endotoxin-Challenged Monkeys and Rats: Glucocorticoid Effect on the Serotonin Level in the Blood** 561
Peter R. Erve, PhD; James J. Schuler, MD;
William Schumer, MD, North Chicago, Ill
Steroids given with endotoxin lessened the extent of depletion of blood 5-hydroxytryptamine.
- Intravenous Cholangiography in the Diagnosis of Acute Cholecystitis** 568
Lawrence Y. Cheung, MD, St Louis, Frederic C. Chang, MD, Salt Lake City
A reliable aid in patients with suspected acute cholecystitis.
- Reduction of Free Water Clearance With Cephalic Venous Hypertension** 573
Donald G. McQuarrie, MD; Marc Mayberg; Mark Ferguson;
Alan Shons, MD, Minneapolis
Superior vena cava occlusion produced an antidiuretic effect.
- Renal Failure in Ascites Secondary to Hepatic, Renal, and Pancreatic Disease: Treatment With a LeVeen Peritoneovenous Shunt** 581
Simon Wapnick, MD; Saul Grosberg, MD; Michael Kinney, MD;
Vincent Azzara; Harry H. LeVeen, MD, Brooklyn, NY
Results of treatment in a diverse group of patients are reported.
Editorial comment by Josef E. Fischer, MD, Boston
- Anomalies Encountered During Varicose Vein Surgery** 586
Robert A. Nabatoff, MD, New York
Important deviations from normal are rare.
- Ultrasonic Evaluation of Ventral Hernias Disguised as Intra-abdominal Neoplasms** 589
John L. Thomas, MD, Jerome J. Cunningham, MD, Winston-Salem, NC
A useful technique in cases of diagnostic uncertainty.
- Allograft Vein Arterial Bypass** 591
Michael Stephen, FRACS; A. G. Ross Sheil, MS, FRACS;
John Wong, PhD, FRACS, Sydney, Australia
The high failure rate indicates that allograft veins should not be used.
- Calcified Gallbladder (Porcelain Gallbladder)** 594
Haim Ashur, MD; Bruno Siegal, MD, FACS; Yan Oland, MD;
Yehuda G. Adam, MD, FACS, Zerifin, Israel
High incidence of carcinoma makes operation mandatory.
- Radioimmunoassayable Plasma Vasopressin Associated With Surgery** 597
Micha Haas, MD, Seymour M. Glick, MD, Beersheva, Israel
This method confirms vasopressin changes previously recognized by bioassay.
- Long-Term Results of Operative Therapy for Aortoiliac Disease** 601
Robert J. Mulcare, MD; Thomas S. Royster, MD;
Richard A. Lynn, MD; Ronald B. Conners, MA, New York
Late graft failures due to progression of disease.

EXPERIMENTAL SURGERY

- Protective Effects of Adenosine Triphosphate Administration in Burns** 605
Mohamed Sobhi Zaki, MD, Cairo; John F. Burke, MD; Robert L. Trelstad, MD, Boston
ATP given to burned animals restored ATP content of the liver and heart.

CONTENTS—Continued

Gastric Secretory Response to Intravenous Amino Acids in Eviscerated Dogs	611
Elpidio C. Mariano, MD, John H. Landor, MD, Piscataway, NJ Amino acids have a direct effect on parietal cell secretion.	
Immunological Enhancement of Rat Small Intestinal Allografts	615
Gordon L. Telford, MD, Robert J. Corry, MD, Iowa City Obstacles to intestinal transplantation are still formidable.	
Acidification of Rat Colon With Lactulose: Its Effects on the Healing of Colonic Anastomoses	618
Viratana Charoenkul, MD; A. James McElhinney, MD; W. John B. Hodgson, MS, FRCS, Bronx, NY The anastomosis was stronger at three days with lactulose.	
Prevention of Dermal Ischemia After Thermal Injury	621
Martin C. Robson, MD; John O. Kucan, MD; K. I. Paik, MD; Elof Eriksson, MD, Chicago Topical steroid improved dermal perfusion after a burn.	
SPECIAL ARTICLE	
Condyloma: A New Epidemic	630
George E. Moore, MD; Larry W. Norton, MD; Donna M. Meiselbaugh, RN, Denver DCNB may be a helpful treatment.	
CLINICAL NOTES	
Precise Diagnosis in Severe Hematochezia	634
Irving A. Beychok, MD, Sarasota, Fla Bleeding site was visualized by colonoscopy with aid of a Water-Pik.	
Management of Septic Thrombosis of the Inferior Vena Cava Caused by <i>Candida</i>	637
Fredric Jarrett, MD; Dennis G. Maki, MD; Chin-Keung Chan, MD, Madison, Wis Successful treatment of a complication of parenteral nutrition which is usually fatal.	
Excision of Pulmonary and Renal Aspergillomas: Its Use in Treating Chronic Granulomatous Disease of Childhood	640
Raymond J. Ippolito, MD; John H. Seashore, MD; Robert J. Touloukian, MD, New Haven, Conn Excision of fungal lesions helpful in the compromised host.	
Preoperative Angiographic Diagnosis of Small Bowel Leiomyomas	643
Joseph C. Stothert, Jr, MD; M. Afzal Riaz, MD; Patrick F. Joyce, MD; Donald L. Kaminski, MD, St Louis Tumor blush visible on superior mesenteric injection.	
Salt and Water Balance Before and After Peritoneojugular and Portacaval Shunts	646
Richard R. Capone, MD; I. James Sarfeh, MD; Patrick Y. Wong, MD, Albany, NY Peritoneojugular shunt increased free water clearance and sodium excretion. Editorial comment by Gardner W. Smith, MD, Baltimore	
TECHNIQUES	
Intraoperative Measurement of Common Duct Resistance	650
Jacob Salomon, MD, David L. Roseman, MD, Chicago This technique combined with operative cholangiography could reduce unnecessary common duct explorations.	
Renal Perfusion Preservation Without Cannulation: Prevention of Posttransplantation Renal Artery Stenosis	654
Maj David D. Oakes, MC, USA; Col Everett K. Spees, Jr, MC, USA; Lt Col Jimmy A. Light, MC, USA; Lt Col M. Wayne Flye, MC, USA, Washington, DC Cannulation of the aorta may decrease renal artery injury.	
REGULAR DEPARTMENTS	
Calendar of Events	658
Correspondence and Brief Communications	660
Narrowed Lumen of a Javid Shunt Due to Autoclave Sterilization James Malone, MD, Jerry Goldstone, MD, San Francisco	
Index to Advertisers	660
Instructions for Authors and Correspondents	550