

Copyright © 1980 by the AMERICAN MEDICAL ASSOCIATION

Official Publication, International Cardiovascular Society and Western Surgical Association

**PAPERS READ BEFORE THE EIGHTY-SEVENTH ANNUAL MEETING  
OF THE WESTERN SURGICAL ASSOCIATION,  
COLORADO SPRINGS, COLO, NOV 11-14, 1979**

<b>What's Past Is Prologue</b> .....	<b>371</b>
Harvey R. Butcher, Jr, MD, St Louis	
<b>Total Parathyroidectomy and Autotransplantation in Secondary Hyperparathyroidism</b> .....	<b>378</b>
Martin F. Mozes, MD; William D. Soper, MD; Olga Jonasson, MD; Gordon R. Lang, MD, Chicago Most patients benefitted from this procedure but a late decrease in autotransplant function occurred in several.	
<b>Pheochromocytoma: A Persistently Problematic and Still Potentially Lethal Disease</b> .....	<b>388</b>
Duane T. Freier, MD, Frederic E. Eckhauser, MD, Ann Arbor, Mich; Timothy S. Harrison, MD, Hershey, Pa Tumor recurrence, acute catecholamine crisis, and/or coexisting pregnancy are unsolved problems.	
<b>Occult Papillary Carcinoma of the Thyroid</b> .....	<b>394</b>
John P. Hubert, Jr, MD; Paul D. Kiernan, MD; Oliver H. Beahrs, MD; William M. McConahey, MD; Lewis B. Woolner, MD, Rochester, Minn This is a nonlethal and curable disease when treated by rather conservative surgical means.	
<b>'Secondary' Operative Staging of Patients With Lymphoma</b> .....	<b>401</b>
William W. Coon, MD, Lyubica Dabich, MD, Ann Arbor, Mich; May L. Votaw, MD, Johnson City, Tenn A diagnostic celiotomy after initial lymphoma staging and treatment is of value in selected patients.	
<b>Pseudomyxoma Peritonei</b> .....	<b>409</b>
Robert N. Fernandez, MD, John M. Daly, MD, Houston This entity arises from mucin-producing carcinomas of the appendix and the ovary.	
<b>Evaluation of Bone Scan in Preoperative Clinical Staging of Breast Cancer</b> .....	<b>415</b>
Gerald S. Wilson, MD; Marvin A. Rich, PhD; Michael J. Brennan, MD, Detroit Routine preoperative bone scans are of no value for staging purposes.	
<b>The Use of Thoracoscopy in the Diagnosis of Pleural Disease</b> .....	<b>420</b>
William A. Baumgartner, MD, James B. D. Mark, MD, Stanford, Calif A helpful method when thoracentesis and percutaneous pleural biopsy do not provide a diagnosis.	
<b>The Surgical Management of Duodenal Trauma: Precepts Based on a Review of 247 Cases</b> .....	<b>422</b>
William H. Snyder III, MD; John A. Weigelt, MD; Wayne L. Watkins, MD; Duane S. Bietz, MD, Dallas Delay in diagnosis and adjacent ductal injury contribute to the lethal potential of these injuries.	

**THE ARCHIVES OF SURGERY** (ISSN 0004-0010) is published monthly by the American Medical Association, 535 N Dearborn St, Chicago, IL 60610, and is an official publication of the Association. Second-class postage paid at Chicago, IL 60610 and at additional mailing office.

**CHANGE OF ADDRESS: POSTMASTER**, send address changes to Helen R. Mazur, Director, Circulation-Fulfillment. Notification of address change should be sent at least six weeks in advance, including both old and new address and a mailing label taken from the most recent copy. Include your new zip code number.

**SUBSCRIPTION RATES:** The rates for the ARCHIVES OF SURGERY are as follows: for members of the AMA, \$1.50, included in the annual membership dues; for nonmembers, \$24 for one year, \$40 for two years

in the United States and US possessions; all other countries, \$34 for one year, \$60 for two years. Special yearly price to residents, interns, and medical students in the United States and US possessions, one year, \$12; two years, \$20. Address all subscription communications to Circulation-Fulfillment Department. Phone: 312, 751-6079.

**ADVERTISING OFFICES:** 535 N Dearborn St, Chicago, IL 60610, Area Code 312, 751-6675; and 600 Third Ave, New York, NY 10016, Area Code 212, 867-6640.

**ADVERTISING PRINCIPLES:** Each advertisement in this issue has been reviewed and complies with the principles governing advertising in AMA scientific publications. A copy of these principles is available on request.

<b>Peritoneal Lavage: Its Unreliability in Gunshot Wounds of the Lower Chest and Abdomen</b> .....	<b>430</b>
Erwin R. Thal, MD; Robert A. May, MD; David Beesinger, MD, Dallas	
Patients sustaining gunshot wounds are best treated by exploratory celiotomy.	
<b>Acute Electric Burns: Current Diagnostic and Therapeutic Approaches to Management</b> .....	<b>434</b>
John L. Hunt, MD; Ronald M. Sato, MD; Charles R. Baxter, MD, Dallas	
Tissue destruction is often extensive, but an extremely low mortality can be achieved by the approaches cited.	
<b>Plasma Norepinephrine, Epinephrine, and Thyroid Hormone Interactions in Severely Burned Patients</b> .....	<b>439</b>
Richard A. Becker, MD; Maj George M. Vaughan, MC, USA; Maj Cleon W. Goodwin, Jr, MC, USA, Fort Sam Houston, Tex;	
Michael G. Ziegler, MD, Galveston, Tex; Timothy S. Harrison, MD, Hershey, Pa; Arthur D. Mason, Jr, MD,	
Col Basil A. Pruitt, MC, USA, Fort Sam Houston, Tex	
A reciprocal relationship exists between triiodothyronine and catecholamines in burn patients not receiving T <sub>3</sub> .	
<b>Changing Indications for Splenectomy: 30 Years' Experience</b> .....	<b>447</b>
W. Daniel Traetow, MD; Peter J. Fabri, MD; Larry C. Carey, MD, Columbus, Ohio	
Incidental splenectomy was associated with increased complications and deaths.	
<b>Colostomy Complications in Children: An Analysis of 146 Cases</b> .....	<b>455</b>
Daniel L. Mollitt, MD; Mark A. Malangoni, MD; Thomas V. N. Ballantine, MD; Jay L. Grosfeld, MD, Indianapolis	
Careful attention to technical details is required to reduce the high incidence of complications of colostomy in children.	
<b>Rectal Cancer Following Colectomy for Polyposis</b> .....	<b>460</b>
Michael A. Bess, MD; Martin A. Adson, MD; Lila R. Elveback, PhD; Charles G. Moertel, MD, Rochester, Minn	
Rectal cancers developed only in those patients with preoperative rectal polyps.	
<b>Healing of the Perineal Wound</b> .....	<b>471</b>
Renee S. Hartz, MD; Stuart M. Poticha, MD; Thomas W. Shields, MD, Chicago	
Primary healing was much better with primary closure and suction drainage or irrigation.	
<b>Sclerotherapy of Esophageal Varices</b> .....	<b>476</b>
Jeffrey Lewis, MD; Raphael S. Chung, MD, FACS; John Allison, MD, MBChB, FRCS(Ed), FCS(SA), Iowa City	
A technique using the fiberoptic endoscope provided immediate control of variceal hemorrhage.	
<b>Recurrent Transient Ischemic Attacks After Carotid Endarterectomy</b> .....	<b>482</b>
Milton L. Owens, MD; James B. Atkinson, MD; Samuel E. Wilson, MD, Los Angeles	
Some patients will have, or acquire surgically correctable lesions after previous thromboendarterectomies.	
<b>Primary Repair vs Ligation for Carotid Artery Injuries</b> .....	<b>488</b>
Anna M. Ledgerwood, MD; Richard J. Mullins, MD; Charles E. Lucas, MD, Detroit	
Outcome depends more on neurological function preoperatively than on method of treatment.	
<b>Surgical Treatment of Renovascular Hypertension: Long-term Follow-up of 216 Patients up to 20 Years</b> .....	<b>494</b>
David S. Starr, MD; Gerald M. Lawrie, MD; George C. Morris, Jr, MD, Houston	
Excellent long term results can be achieved when patients are selected appropriately.	
<b>Splanchnic Arteriosclerotic Disease and Intestinal Angina</b> .....	<b>497</b>
Gerald B. Zelenock, MD; Linda M. Graham, MD; Walter M. Whitehouse, Jr, MD; Errol E. Erlandson, MD;	
Richard O. Kraft, MD; S. Martin Lindenaauer, MD; James C. Stanley, MD, Ann Arbor, Mich	
Postprandial abdominal pain and weight loss were the primary clues to this problem in all 23 cases reported.	
<b>Clinical Significance of Arteriosclerotic Femoral Artery Aneurysms</b> .....	<b>502</b>
Linda M. Graham, MD; Gerald B. Zelenock, MD; Walter M. Whitehouse, Jr, MD; Errol E. Erlandson, MD;	
Thomas L. Dent, MD; S. Martin Lindenaauer, MD; James C. Stanley, MD, Ann Arbor, Mich	
Nonoperative management of small aneurysms had a low late complication rate.	

**Continued on p. 362.**

## CONTENTS—Continued

<b>Management of Polytetrafluoroethylene Graft Occlusions</b> .....	508
William H. Baker, MD; M. Margaret Hadcock, MD; Fred N. Littooy, MD, Maywood, Ill Thrombectomy may be helpful for the frequent late occlusions of PTFE grafts.	
<b>Automated Data Management for Clinicians: A Low-Cost Approach</b> .....	514
H. Nang Wong, MD; Charles T. Teague; Stanley N. Carson, MD, Martinez, Calif A clinical data management system was developed for clinicians unfamiliar with computers, using a microcomputer.	
<b>Remedial Operation for Alkaline Reflux Gastritis and Associated Postgastrectomy Syndromes</b> .....	519
John L. Sawyers, MD; J. Lynwood Herrington, Jr, MD; Glenn S. Bucksman, MD, Nashville, Tenn Roux-en-Y or Tanner 19 diversion of bile, pancreatic and intestinal secretions provides gratifying results.	
<b>Stomal Ulcers After Gastric Bypass</b> .....	525
Kenneth J. Printen, MD; David Scott; Edward E. Mason, MD, Iowa City The incidence of stomal ulcer is low particularly if the upper pouch is small.	
<b>Prevention of Early Failure of Stapled Gastric Partitions in Treatment of Morbid Obesity</b> .....	528
E. Christopher Ellison, MD; Edward W. Martin, Jr, MD; John Laschinger; Cathy Mojzizik; Kenneth Hughes, PhD; Larry C. Carey, MD; William G. Pace, MD, Columbus, Ohio A liquid diet for eight weeks and four rows of staples may be necessary for long term success.	
<b>Intra-abdominal Pressure and Manometric Data of the Distal Esophageal Sphincter: Their Relationship to Gastroesophageal Reflux</b> .....	534
Jorge A. Wernly, MD; Tom R. DeMeester, MD; Gordon H. Bryant, MEEE; Ching-I Wang, MD; Robin B. Smith, FRCS; David B. Skinner, MD, Chicago The distal esophageal sphincter was able to resist most episodes of increased intra-abdominal pressure.	
<b>Hepatobiliary Scanning in the Diagnosis of Acute Cholecystitis</b> .....	540
Randolph E. Szlabick, MD; James A. Catto, MD; Darlene Fink-Bennett, MD; Virginia Ventura, MD, Royal Oak, Mich Clearly abnormal and normal scans are accurate but there are indeterminant studies.	
<b>Surgical Treatment of Chronic Pancreatitis: A Review After a Ten-Year Experience</b> .....	545
Carlos Grodsinsky, MD, Detroit Pancreatography is required to select the best operation.	
<b>Acute and Subacute Pancreatitis: Role of Surgery and Endoscopic Retrograde Cholangiopancreatography</b> .....	552
Richard M. Dickerman, MD; Peter Loeb, MD; William J. Fry, MD, Dallas Acute pancreatitis that does not subside after four to six weeks may have a surgically correctable lesion.	
<b>REGULAR DEPARTMENTS</b>	
<b>Calendar of Events</b> .....	558
<b>News and Announcements</b> .....	558
<b>Correspondence and Brief Communications</b> .....	559
Endoscopic Papillotomy James Scott, MD, SC, Streator, Ill . . . On Precise Language Frank Brochu, MD, Salem, Va . . . Role of Delayed Hypersensitivity Tests in Surgery Gian Franco Adami, MD, Virgilio Bachi, MD, Genoa, Italy	
<b>Index to Advertisers</b> .....	560
<b>Instructions for Authors and Correspondents</b> .....	369