

IN MEMORIAM

- Samuel R. Powers, Jr, MD** 1019
Charles Eckert, MD, Albany, NY

EDITORIAL

- A Tribute to Sam Powers, MD** 1021
Arthur E. Baue, MD, New Haven, Conn

PAPERS PRESENTED AT THE ANNUAL MEETING OF THE SOUTHERN CALIFORNIA CHAPTER OF THE AMERICAN COLLEGE OF SURGEONS, RANCHO MIRAGE, CALIF, JAN 20, 1980

- Management of Crohn's Disease Involving the Duodenum, Including Duodenal Cutaneous Fistula** 1022
Terrence J. Fitzgibbons, MD; Gerald Green, MD; Howard Silberman, MD;
Joan Eliasoph, MD; James M. Halls, MD; Albert E. Yellin, MD, Los Angeles
Indications for operative treatment are, as in disease elsewhere,
unremitting obstruction, bleeding, or fistulae.
- Obstruction of Defunctionalized Small Bowel: Its Occurrence After Bypass Surgery for Morbid Obesity** 1031
Delmar R. Aitken, MD; Clifton Reeves, MD; M. C. Theodore Mackett, MD; Bruce W. Branson, MD, Loma Linda, Calif
This segment of small bowel is subject to a variety of mechanical problems.
Editorial comment by Ward O. Griffen, Jr, MD, PhD, Lexington, Ky
- Posttraumatic Ischemic Stenosis of the Small Bowel** 1039
Urs M. Bryner, MD; Jerrold K. Longerbeam, MD; Clifton D. Reeves, MD, Loma Linda, Calif
Colicky abdominal pain and vomiting several weeks after a blunt abdominal injury suggest this problem.
- Surgical Management of Portal Hypertension in Childhood: Long-term Results** 1042
Eric W. Fonkalsrud, MD, Los Angeles
A review of the results of treatment of portal hypertension in children during the last 15 years.
- Gastric Volvulus in the Newborn** 1046
Jire Idowu, MD; Delmar R. Aitken, MD; Keith E. Georgeson, MD, Loma Linda, Calif
A rare surgical emergency in the first month of life.
Editorial comment by Robert J. Touloukian, MD, New Haven, Conn
- Fetal Heart Rate Patterns in Infants in Whom Necrotizing Enterocolitis Develops: A Preliminary Report** 1050
Patricia Braly, MD; Tom Garite, MD; John C. German, MD, Orange, Calif
Perinatal monitoring may help identify those infants in whom necrotizing enterocolitis develops.
- Breast Cancer in Japan and the United States: Epidemiology, Hormone Receptors, Pathology, and Survival** 1056
Robert H. Yonemoto, MD, Duarte, Calif
Cancer of the breast is increasing in frequency in Japan and may be related to changes in diet.
- Nonpalpable Breast Lesions Discovered by Mammography** 1067
Richard Solmer, MD; Jordan Goodstein, MD; Carl Agliozzo, MD, Duarte, Calif
This technique assures removal of suspicious abnormalities found by mammography.
- Prevention of Upper Gastrointestinal Bleeding in Burn Patients: A Role for 'Elemental' Diet** 1073
William T. Choctaw, MD; Carole Fujita, PharmD; Bruce E. Zawacki, MD, Los Angeles
Compared with historical controls, burned patients receiving an elemental diet
had less gastrointestinal bleeding.

THE ARCHIVES OF SURGERY (ISSN 0004-0010) is published monthly by the American Medical Association, 535 N Dearborn St, Chicago, IL 60610, and is an official publication of the Association. Second-class postage paid at Chicago, IL 60610 and at additional mailing office.

CHANGE OF ADDRESS: POSTMASTER, send address changes to Helen R. Mazur, Director, Circulation-Fulfillment. Notification of address change should be sent at least six weeks in advance, including both old and new address and a mailing label taken from the most recent copy. Include your new zip code number.

SUBSCRIPTION RATES: The rates for the ARCHIVES OF SURGERY are as

follows: for members of the AMA, \$1.50, included in the annual membership dues; for nonmembers, \$24 for one year, \$40 for two years in the United States and US possessions; all other countries, \$34 for one year, \$60 for two years. Special yearly price to residents, interns, and medical students in the United States and US possessions, one year, \$12; two years, \$20. Address all subscription communications to Circulation-Fulfillment Department. Phone: 312, 751-6079.

ADVERTISING PRINCIPLES: Each advertisement in this issue has been reviewed and complies with the principles governing advertising in AMA scientific publications. A copy of these principles is available on request.

CONTENTS—Continued

Stump Pressure: An Unreliable Guide for Shunting During Carotid Endarterectomy	1083
Jack H. M. Kwaan, MD; Gary J. Peterson, MD; John E. Connolly, MD, Long Beach, Calif Loss of consciousness occurred in some patients with carotid clamping in spite of stump pressures above 50 mm Hg.	
Efficacy of the Gallbladder for Drainage in Biliary Obstruction: A Comparison of Malignant and Benign Disease	1086
Merril T. Dayton, MD; L. William Traverso, MD; William P. Longmire, Jr, MD, Los Angeles Problems with cholecystoenterostomy indicate that it should be used primarily in terminal malignancy, and not in benign conditions.	
Serum Gastrin and Human Chorionic Gonadotropin in the Zollinger-Ellison Syndrome	1090
Bruce E. Stabile, MD; Glenn D. Braunstein, MD; Edward Passaro, Jr, MD, Los Angeles Measurement of both of these hormones was helpful in assessing the biologic behavior of gastrinomas.	
Ultrasonography and Oral Cholecystography: A Comparison of Their Use in the Diagnosis of Gallbladder Disease	1096
Richard P. Detwiler, MD; Daniel S. Kim, MD; Jerrold K. Longerbeam, MD, Los Angeles Ultrasound was not quite as accurate as cholecystography in patients with chronic biliary tract disease.	
Aortic Grafting Procedures: Tailoring the Options	1099
Milton L. Owens, MD, FACS; Samuel Eric Wilson, MD, FACS; Irving Schwartz, MD, Los Angeles There was little difference in results with appropriately selected iliac or femoral distal anastomoses. Editorial comment by Calvin B. Ernst, MD, Baltimore	
ORIGINAL ARTICLES	
Ogilvie's Method Applied to Infected Wound Disruption	1103
R. Jan A. Goris, MD, Nijmegen, the Netherlands Implantation of nylon mesh for the infected abdominal wound which cannot be closed without undue tension.	
Superficial Femoral-Profunda Femoris Artery Transposition	1111
Richard S. Faro, MD; Richard J. Feldhaus, MD; Richard J. Schultz, MD, Omaha An alternative to profundoplasty and thromboendarterectomy when the profunda femoris artery has multiple lesions.	
Preoperative Evaluation of the Risk of Common Bile Duct Stones	1114
François Lacaine, MD; Marvin B. Corlette, MD; Henri Bismuth, MD, Villejuif, France High and low risk groups could be identified.	
CLINICAL NOTES	
Invasion of the Rectum by Carcinoma of the Prostate	1117
Sidney Goldfarb, MD, Elliot Leiter, MD, New York Prostatic cancer can present as a rectal mass which may be confused with carcinoma of the rectum.	
Arteriovenous Carcinoembryonic Antigen Gradient: Determination by Selective Angiography for Localization of Metastatic Colorectal Cancer	1122
Yehuda Z. Patt, MD; Giora Mavligit, MD; Vincent P. Chuang, MD, Houston; John Faltely, MD, Kansas City, Mo Metastatic tumor was identified by this method in an adrenal gland and in the left lobe of the liver.	
Persistent Hepatic Hydrothorax After Peritoneojugular Shunt	1125
Robert W. Ikard, MD, John L. Sawyers, MD, Nashville, Tenn Other means of eliminating a hydrothorax due to cirrhosis may be necessary.	
BRIEF CLINICAL NOTES	
Carcinoma in a Transplanted Nipple	1131
J. Holt Rose, Jr, MD, Pasadena, Calif Cancer developed in a transplanted nipple in spite of initial negative biopsies.	
A Misplaced Caval Filter: Its Removal From the Heart Without Cardiopulmonary Bypass	1133
Cary W. Akins, MD; Robert L. Thurer, MD; Arthur C. Waltman, MD; Michael N. Margolies, MD; Robert C. Schneider, MD, Boston The introducer, passed into the atrium, closed the prongs and allowed removal.	
REGULAR DEPARTMENTS	
Calendar of Events	1134
Correspondence and Brief Communications	1136
Surgeons and Peptic Ulcer Disease Richard R. Woods, MD, Corpus Christi, Tex . . . No-Touch Isolation Technique: Caveat Emptor Frank C. Sparks, MD, New Canaan, Conn . . . New Use for an Old Clamp Bruce S. Cutler, MD, Nancy L. Cantelmo, MD, Worcester, Mass . . . Treatment of Chylothorax Robert N. Pilon, MD, Athens, Ga . . . Himantobezoar Thomas J. Vander Salm, MD, Gary W. Welch, MD, PhD, Worcester, Mass	
Index to Advertisers	1140
Instructions for Authors	1016