

Copyright © 1985 by the AMERICAN MEDICAL ASSOCIATION

Official Publication of the Western Surgical Association,
Surgical Infection Society, New England Surgical Society,
Society of Surgical Oncology

EDITORIAL

- Welcome to the New England Surgical Society and the Society of Surgical Oncology** 1339
Arthur E. Baue, MD, St Louis

ORIGINAL ARTICLES

- The Effects of Hemorrhage and Trauma on Interleukin 2 Production** 1341
Edward Abraham, MD, Raymond F. Regan, MD, Los Angeles
Interleukin 2 production was greatly reduced immediately after hemorrhage and accidental injury.
- Whole-Body Nitrogen and Tyrosine Metabolism in Surgical Patients Receiving Branched-Chain Amino Acid Solutions** 1345
Sukumar P. Desai, MD; Bruce R. Bistrian, MD, PhD;
Lyle L. Moldawer; George L. Blackburn, MD, PhD, Boston
A diet containing only branched-chain amino acids was as effective for protein homeostasis as a standard amino acid formula.
- Abdominal Midline Incision Closure: A Multicentric Randomized Prospective Trial of 3,135 Patients, Comparing Continuous vs Interrupted Polyglycolic Acid Sutures** 1351
Pierre-Louis Fagniez, MD; Jean Marie Hay, MD;
François Lacàine, MD; Christian Thomsen, MD, Bois-Colombes, France
A randomized prospective study in 3,135 patients demonstrated that the incidence of wound dehiscence was the same for continuous and interrupted sutures.
- Ultrasound-Guided Percutaneous Transhepatic Cholecystostomy for Acute Acalculous Cholecystitis** 1354
Alexander M. Eggermont, MD; Johan S. Laméris, MD;
Johannes Jeekel, MD, Rotterdam, the Netherlands
This technique was used safely and successfully on six critically ill patients.
- Development of a Safe and Effective One-Minute Preoperative Skin Preparation** 1357
J. Wesley Alexander, MD, ScD; Sandy Aerni, RN; James P. Plettner, MD, Cincinnati
A polyester antimicrobial incise drape applied after a one-minute skin preparation was associated with an infection rate comparable with a standard ten-minute preparation.
Editorial Comment by Robert E. Condon, MD, Milwaukee
- Acute Appendicitis During Pregnancy: Diagnosis and Management** 1362
Michael D. Horowitz, MD; Gerardo A. Gomez, MD;
Roberto Santiesteban, MD; Gene Burkett, MB, BS, Miami
Maternal or fetal death occurred only when there had been a delay in operation and perforation of the appendix.

The **ARCHIVES OF SURGERY** (ISSN 0004-0010) is published monthly by the American Medical Association, 535 N Dearborn St, Chicago, IL 60610, and is an official publication of the Association. Second-class postage paid at Chicago, IL 60610 and at additional mailing office.

SUBSCRIPTION RATES—The subscription rates for the Archives of Surgery are as follows: for members of the AMA, \$1.50 included in the annual membership dues; for nonmembers, \$38 for one year, \$68 for two years in the United States and US possessions; all other countries, one year, \$48; two years, \$88 (add \$10 surcharge to each one-year subscription, \$20 for two years for air delivery to the United Kingdom and Europe only). Special yearly rates to residents and medical students in the United States and US possessions, one year, \$19; two years, \$34. Rates for subscriptions for delivery to Australia, Bangladesh, India, Japan, Nepal, New Zealand, South Korea, and Sri Lanka are available through respective exclusive agents.

Address all subscription communications to the American Medical Association, Circulation and Fulfillment Division, 535 N Dearborn St, Chicago, IL 60610. Phone: (312) 280-7154.

CHANGE OF ADDRESS—POSTMASTER, send all address changes to Caryl L. Wertheimer, Director of Fulfillment, 535 N Dearborn St, Chicago, IL 60610. Notification of address change must be made at least six weeks in advance, include both old and new addresses, a recent mailing label, and your new zip code.

ADVERTISING PRINCIPLES: Each advertisement in this issue has been reviewed and complies with the principles governing advertising in AMA scientific publications. A copy of these principles is available on request. The appearance of advertising in AMA publications is not an AMA guarantee or endorsement of the product or the claims made for the product by the manufacturer.

Ischemic Colitis Following Repair of Ruptured Abdominal Aortic Aneurysm 1368
 Richard E. Welling, MD; L. Richard Roedersheimer, MD;
 James J. Arbaugh, MD; John J. Cranley, MD, Cincinnati
 Necrosis of the sigmoid colon after repair of a ruptured abdominal aortic aneurysm was associated with a high mortality.
 Editorial Comment by Calvin B. Ernst, MD, Baltimore
 Invited Editorial Comment by Donald Kaminski, MD, St Louis

CLINICAL NOTES

Transvenous Catheter Pulmonary Embolectomy 1372
 John H. Moore, Jr, MD; Harvey A. Koolpe, MD;
 R. Anthony Carabasi, MD; Shuin-Lin Yang, MD;
 Bruce E. Jarrell, MD, Philadelphia
 Two patients survived after massive pulmonary embolism because of transvenous catheter embolectomy.
 Invited Editorial Comment by Lazar J. Greenfield, MD, Richmond, Va

Biliary-Bronchial Fistula After Right Hepatic Lobectomy 1376
 Michael G. Sarr, MD; Gardner W. Smith, MD;
 Erlinda F. DeLeon, MD, Baltimore
 A primary abdominal approach for control of the subdiaphragmatic disease is essential for permanent eradication of the fistula.
 Editorial Comment by Donald D. Trunkey, MD, San Francisco

Early Somatostatinoma of the Papilla of the Duct of Santorini 1381
 Michael J. Malone, MD; Mark L. Silverman, MD; John W. Braasch, MD;
 Gongliang Jin, MD, Burlington, Mass; Yogeshwar Dayal, MD, Boston
 The clinical syndrome produced by this tumor could result from a variety of gastrointestinal disorders.

TECHNIQUES

Vicryl Mesh in Pelvic Floor Reconstruction 1389
 Herbert J. Buchsbaum, MD; Wayne Christopherson, MD;
 Samuel Lifshitz, MD; Steven Bernstein, MD, Dallas
 A new synthetic absorbable mesh acted as a latticework for the deposition of granulation tissue and fibrous tissue on seven women undergoing pelvic exenteration.

A Technique for Postembolectomy Streptokinase Infusion 1395
 Gerald L. Early, MD, Hamner Hannah III, MD, Kansas City, Mo
 A catheter is inserted into a small branch so that streptokinase can be infused without a foreign body in the femoral artery.

REGULAR DEPARTMENTS

Correspondence and Brief Communications 1398
 Epigastric Hernia With Intestinal Obstruction: An Unusual Complication of a Transmesenteric Hernia David LEMONICK, MD, Warren D. WIDMANN, MD, Morristown, NJ ... Graft-to-Superior Mesenteric Vein Anastomosis for Mesocaval Shunts Donald E. McDOWELL, MD, Morgantown, WVa, Yueli XIAO-HUI, MD, Changzhou, People's Republic of China

Books 1399
 Transplantation Immunology: Clinical and Experimental (Calne, ed) Reviewed by Richard WEIL III, MD, Denver ... Surgical Care, II (Condon, DeCosse, eds) Reviewed by Charles W. VAN WAY III, MD, Denver ... Current Surgical Diagnosis and Treatment (Way, ed) Reviewed by Ben EISEMAN, MD, Denver ... Abdominal Stomas (Abrams) Reviewed by Marion TOLCH, RN, Denver ... Surgery of the Veins (Bergan, Yao, eds) Reviewed by Glenn L. KELLY, MD, Denver

Index to Volume 120 1401

Index to Advertisers 1330

Instructions for Authors 1432