

Copyright © 1988 by the AMERICAN MEDICAL ASSOCIATION

Official Publication of the Western Surgical Association,  
Surgical Infection Society, New England Surgical Society,  
Society of Surgical Oncology, Pacific Coast Surgical Association

## EDITORIAL

- Adjuvant Therapy for Node-Negative Breast Cancer Patients: Who Benefits?** ..... 1189  
Charles M. Balch, MD, S. Eva Singletary, MD, Houston

**PAPERS READ BEFORE THE 14TH ANNUAL MEETING OF THE NEW ENGLAND SOCIETY FOR VASCULAR SURGERY, BRETTON WOODS, NH, SEPT 10 TO SEPT 11, 1987**

- The Orthograde Venous Autograft and Allograft: Presidential Address** ..... 1191  
Thomas J. Donovan, MD, Hartford, Conn
- Femoropopliteal Reconstruction for Claudication: The Risk to Life and Limb** ..... 1196  
K. Craig Kent, MD; Magruder C. Donaldson, MD; Christopher E. Attinger, MD; Nathan P. Couch, MD;  
John A. Mannick, MD; Anthony D. Whittemore, MD, Boston  
• Femoropopliteal reconstruction for claudication has an acceptably low risk of death or amputation.
- Runoff Resistance and Early Graft Failure in Infrainguinal Bypass Surgery** ..... 1199  
George A. Peterkin, MD; Wayne W. LaMorte, MD, PhD; James O. Menzoian, MD, Boston  
• High measured outflow resistance does not predict failure of lower-extremity arterial bypass grafts.
- Molecular Diversity in the Abdominal Aortic Aneurysm Phenotype** ..... 1202  
M. David Tilson, MD, Michael P. Roberts, MS, New Haven, Conn  
• Three abnormal patterns of collagenous peptides were found in patients with abdominal aortic aneurysms.
- Vascular Complications of Percutaneous Femoral Cardiac Interventions: Incidence and Operative Repair** ..... 1207  
John J. Skillman, MD; Ducksoo Kim, MD; Donald S. Baim, MD, Boston  
• Occlusions and false aneurysms should be repaired promptly by venous or arterial angioplasty.
- Long-term Survival and Quality of Life Following Ruptured Abdominal Aortic Aneurysm** ..... 1213  
Michael J. Rohrer, MD; Bruce S. Cutler, MD; H. Brownell Wheeler, MD, Worcester, Mass  
• Survivors of ruptured aneurysms have a good long-term prognosis.
- Cost-effectiveness of Intra-arterial Thrombolytic Therapy** ..... 1218  
Lawrence J. Dacey, MD; Richard W. Dow, MD; Martha D. McDaniel, MD; Daniel B. Walsh, MD;  
Robert M. Zwolak, MD, PhD; Jack L. Cronenwett, MD, Hanover, NH  
• The cost of thrombolytic therapy is similar to operative treatment and the results are not as good.

The ARCHIVES OF SURGERY (ISSN 0004-0010) is published monthly by the American Medical Association, 535 N Dearborn St, Chicago, IL 60610, and is an official publication of the Association. Second-class postage paid at Chicago, IL 60610 and at additional mailing office.

**SUBSCRIPTION RATES**—The subscription rates for the Archives of Surgery are as follows: \$40 for one year, \$70 for two years in the United States and US possessions; all other countries, one year, \$52; two years, \$96 (add \$15 surcharge for each one-year subscription, \$30 for two years for air delivery to the United Kingdom, Europe, Bangladesh, India, Nepal, or Sri Lanka). Rates for subscriptions for delivery to Australia, Japan, New Zealand, or South Korea are available through respective agents. **Special rates for residents and medical students in the United States and US possessions are available.** Address inquiries to the American Medical

Association, Circulation and Fulfillment Division, 535 N Dearborn St, Chicago, IL 60610. Phone: (312) 280-7168.

**CHANGE OF ADDRESS**—POSTMASTER, send all address changes for the ARCHIVES OF SURGERY to Caryl L. Wertheimer, Director of Fulfillment, 535 N Dearborn St, Chicago, IL 60610. Notification of address change must be made at least six weeks in advance, include both old and new addresses, a recent mailing label, and your new zip code.

**ADVERTISING PRINCIPLES:** Each advertisement in this issue has been reviewed and complies with the principles governing advertising in AMA scientific publications. A copy of these principles is available on request. The appearance of advertising in AMA publications is not an AMA guarantee or endorsement of the product or the claims made for the product by the manufacturer.

**CONTENTS—Continued**

**Supplemental Oxygen and Dependent Positioning as Adjunctive Measures to Improve Forefoot Tissue Oxygenation** ..... 1227  
Willard C. Johnson, MD; Henry I. Grant, MD; Donna Baldwin, RN; Janis V. Hamilton, RN; Janice M. Dion, RN, Boston  
● Improvement in tissue oxygenation did not occur in some patients with severe ischemia.

**Enhanced Collagen Production by Smooth Muscle Cells During Repetitive Mechanical Stretching** ..... 1233  
Bauer E. Sumpio, MD, PhD, New Haven, Conn; Albert J. Banes, PhD; William G. Link, PhD; George Johnson, Jr, MD, Chapel Hill, NC  
● Pulsatile stretch enhances collagen and noncollagen protein synthesis.

**PAPERS READ BEFORE THE ANNUAL MEETING OF THE SOUTHERN CALIFORNIA CHAPTER OF THE AMERICAN COLLEGE OF SURGEONS, NEWPORT BEACH, CALIF, JAN 22 TO JAN 24, 1988**

**Orthotopic Liver Transplantation for Biliary Atresia: Evolution of Management** ..... 1237  
J. Michael Millis, MD; John J. Brems, MD; Jonathan R. Hiatt, MD; Andrew S. Klein, MD; Tatsuto Ashizawa, MD; Kenneth P. Ramming, MD; William J. Quinones-Baldrich, MD; Ronald W. Busuttill, MD, PhD, Los Angeles  
● At the first sign of failure of a portoenterostomy, a patient with biliary atresia should be considered for liver transplantation.

**Artifactual CEA Elevation due to Human Anti-Mouse Antibodies** ..... 1242  
Blaine A. Morton, MD; Margaret O'Connor-Tressel; Barbara G. Beatty, PhD; John E. Shively, PhD; J. David Beatty, MD, Durate, Calif  
● Markedly elevated carcinoembryonic antigen levels in 11 patients after operation seemed to be caused by administration of a murine monoclonal antibody for tumor imaging.

**Hepatic Trauma** ..... 1251  
Steven C. Stain, MD; Albert E. Yellin, MD; Arthur J. Donovan, MD, Los Angeles  
● Control of hemorrhage remains the dominant consideration in treatment of major hepatic wounds.

**Agnesis of the Gallbladder Without Extrahepatic Biliary Atresia** ..... 1257  
Robert S. Bennion, MD; Jesse E. Thompson, Jr, MD; Ronald K. Tompkins, MD, Sylmar, Calif  
● Patients may have symptoms suggestive of biliary tract disease only to be found to have agnesis of the gallbladder.

**Significance of Reservoir Length in the Endorectal Ileal Pullthrough With Ileal Reservoir** ..... 1265  
Matthias Steizner, MD; Eric W. Fonkalsrud, MD; Geri Lichtenstein, Los Angeles  
● Ileal reservoirs 14 to 16 cm long appear to provide long-term excellent clinical function.

**ORIGINAL ARTICLES**

**Combined Aortofemoral and Extended Deep Femoral Artery Reconstruction: Functional Results and Predictors of Need for Distal Bypass** ..... 1269  
Antonio V. Sterpetti, MD; Richard J. Feldhaus, MD; Richard D. Schultz, MD, Omaha  
● This combined procedure may be preferable in certain patients with both aortoiliac and femoropopliteal occlusive disease.

**Nitrogen Balance in Adult Hospitalized Patients With the Use of a Pediatric Amino Acid Model** ..... 1275  
Alan B. Gazzaniga, MD; Kenneth Waxman, MD; Audrey T. Day, MA; Ronald R. Bradford, RPh, Irvine, Calif; Jon A. Vanderhooft, MD, Omaha; Brack Bivins, MD, Detroit; Ezra Steiger, MD, Cleveland  
● Amino acids, heretofore considered nonessential, may be required in stress.

**Membrane-Bound Anti-CD3 Monoclonal Antibodies Trigger Cytolytic T-lymphocyte-Mediated Tumor Lysis** ..... 1280  
Steven J. Mentzer, MD; Richard E. Wilson, MD; Steven J. Burakoff, MD; Steven H. Herrmann, PhD, Boston  
● Membrane binding of anti-CD3 monoclonal antibody to tumor cell surfaces triggered increased cytolytic T-lymphocyte-mediated tumor cell killing.

**REGULAR DEPARTMENTS**

**Correspondence and Brief Communications** ..... 1286

**Index to Advertisers** ..... 1274