

Copyright © 1989 by the AMERICAN MEDICAL ASSOCIATION

Official Publication of the Western Surgical Association,  
Surgical Infection Society, New England Surgical Society,  
Society of Surgical Oncology, Pacific Coast Surgical Association

## ORIGINAL ARTICLES

- Preliminary Clinical Experience With the Titanium Greenfield Vena Caval Filter** ..... 657  
Lazar J. Greenfield, MD, Kyung J. Cho, MD, Ann Arbor, Mich; S. Osher Pais, MD, Baltimore, Md;  
Michael Van Aman, MD, Columbus, Ohio  
• A titanium model of the Greenfield filter provides ease of insertion,  
and the sheath technique should prevent misplacement.
- Arterial Mycotic Aneurysm and Rupture: A Potentially Fatal Complication of  
Pancreas Transplantation in Diabetes Mellitus** ..... 660  
Andreas G. Tzakis, MD; Patricia B. Carroll, MD; Robert D. Gordon, MD; Itsuo Yokoyama, MD;  
Leonard Makowka, MD, PhD; Thomas E. Starzl, MD, PhD, Pittsburgh, Pa  
• A mycotic aneurysm must be suspected in patients with a pancreatic transplant  
who present with unexplained hypotension, cardiac arrest, or gastrointestinal bleeding.
- Results of Operative Treatment of Gastrointestinal Tract Tumors in Patients Over 80 Years of Age** ..... 662  
Ph. Morel, MD; R. A. Egeli, MD; S. Wachtl, MD; A. Rohner, MD, Geneva, Switzerland  
• Operative treatment of gastrointestinal tract malignancy in patients greater than 80 years  
of age improved their activity level and resulted in a 48% survival rate at 3 years.
- Surgical Manipulation and the Tensile Strength of Polypropylene Sutures** ..... 665  
Philip B. Dobrin, MD, PhD, Maywood, Ill  
• Accidental knots and grasping with forceps decreased the tensile strength of these sutures.
- Thromboxane A<sub>2</sub>-Receptor Blockade and Prostacyclin in Porcine *Escherichia coli* Shock** ..... 669  
Erik Svartholm, MD, PhD; David Bergqvist, MD; Ulla Hedner, MD, PhD;  
June Ljungberg; Ulf Haglund, MD, PhD, Malmö, Sweden  
• Although thromboxane A<sub>2</sub> is one of the mediators of pulmonary vascular  
responses, it is not important for the hemostatic changes in this model.
- Inflammatory Aneurysms of the Abdominal Aorta** ..... 673  
Hans H. Moosa, MD; Andrew B. Peitzman, MD; David L. Steed, MD; Thomas B. Julian, MD;  
Fredric Jarrett, MD; Marshall W. Webster, MD, Pittsburgh, Pa  
• A CT scan with contrast for periaortic inflammation is the most reliable diagnostic test.
- Strategy in Reoperative Surgery for Hyperparathyroidism** ..... 676  
Polly S. Y. Cheung, MBBS, FRCS; Anders Borgstrom, MD; Norman W. Thompson, MD, Ann Arbor, Mich  
• Second operations for hyperparathyroidism will be less frequent after thorough initial  
neck exploration, correct interpretation of the pathology, and adequate parathyroid resection.
- How Accurate Is Fine-Needle Biopsy in Malignant Neoplasia of the Pancreas?** ..... 681  
Livingston Parsons, Jr, MD, Charles H. Palmer, MD, Albuquerque, NM  
• Aspiration biopsy of the pancreas performed percutaneously or intraoperatively  
was associated with a high incidence of false-negative results.
- Colorectal Neodymium-YAG Photoablative Therapy: Comparing Applications and  
Complications on Both Sides of the Peritoneal Reflection** ..... 684  
Donald E. Low, MD; Richard A. Kozarek, MD; Terrence J. Ball, MD;  
David J. Patterson, MD; Lucius D. Hill, MD, Seattle, Wash  
• Laser photoablative therapy for colorectal carcinoma can be used with  
equal efficiency and safety on either side of the peritoneal reflection.
- Small-Bowel Perforation Complicating the Open Treatment of Generalized Peritonitis** ..... 689  
Walter J. B. Mastboom, MD; Han H. C. Kuypers, MD, PhD; Frans J. Schoots, MD;  
Theo Wobbes, MD, PhD, Nijmegen, the Netherlands  
• Small-bowel perforations developed without apparent cause in a number  
of patients being treated for peritonitis by the open method.
- Angiotropin Treatment Prevents Flap Necrosis and Enhances Dermal Regeneration in Rabbits** ..... 693  
Michael Höckel, MD, PhD, Mainz, West Germany, John F. Burke, MD, Boston, Mass  
• Angiotropin pretreatment can prevent flap necrosis and augment dermal regeneration after rounding.

The ARCHIVES OF SURGERY (ISSN 0004-0010) is published monthly by the American Medical Association, 535 N Dearborn St, Chicago, IL 60610, and is an official publication of the Association. Second-class postage paid at Chicago, IL 60610, and at additional mailing office.

**SUBSCRIPTION RATES**—The subscription rates for the ARCHIVES OF SURGERY are as follows: \$50 for one year, \$85 for two years in the United States and US possessions; all other countries, one year, \$60; two years, \$105 for surface delivery. (For expedited air delivery to most countries, add \$15 surcharge for one year subscription, \$30 for two years.) Rates for subscriptions for delivery to Japan or South Korea are available through exclusive agents—contact the publisher. **Special rates for residents and medical students in the United States and US Possessions are available.** Address inquiries to the American Medical Association, Circulation

and Fulfillment Division, 535 N Dearborn St, Chicago, IL 60610. Phone: (312)280-7168.

**CHANGE OF ADDRESS**—POSTMASTER, send all address changes to the ARCHIVES OF SURGERY, Attention: Subscription Department, 535 N Dearborn St, Chicago, IL 60610. Notification of address change must be made at least six weeks in advance, include both old and new addresses, a recent mailing label, and your new zip code.

**Advertising Principles:** Each advertisement in this issue has been reviewed and complies with the principles governing advertising in AMA scientific publications. A copy of these principles is available on request. The appearance of advertising in AMA publications is not an AMA guarantee or endorsement of the product or the claims made for the product by the manufacturer.

**CONTENTS—Continued**

<b>Simple Intestinal Obstruction Causes Bacterial Translocation in Man</b> . . . . .	699
Edwin A. Deitch, MD, Shreveport, La	
• Bacteria were cultured from mesenteric lymph nodes obtained from patients with simple intestinal obstruction.	
<b>Management of Severe Incisional Abscesses Following Laparotomy: Early Reclosure Under Cover of Metronidazole and Ampicillin</b> . . . . .	702
Finn Gottrup, MD, PhD, Randers, Denmark; P. Gjøde, MD, Aalborg, Denmark; F. Lundhus, MD, Randers, Denmark; H. Andrup, MD, Aalborg, Denmark; C. N. Holm, MD, Viborg, Denmark; S. Terpling, MD, Randers, Denmark	
• Management of abdominal wound abscesses by incision and drainage, antibiotics, and early reclosure was safe and effective.	
<b>Oral Prophylaxis With Neomycin and Erythromycin in Colorectal Surgery: More Proof for Efficacy Than Failure</b> . . . . .	705
Per-Arne Kling, MD, Sven Dahlgren, MD, Umeå, Sweden	
• Results were similar with oral neomycin-erythromycin or intravenous cephtriaxone-etronidazole preparation in colorectal surgery.	
<b>The Effect of New Monofilament Absorbable Sutures on the Healing of Musculoaponeurotic Incisions, Gastrotomies, and Colonic Anastomoses</b> . . . . .	708
Pamela A. Foresman; Richard F. Edlich, MD, PhD; George T. Rodeheaver, PhD, Charlottesville, Va	
• Two new monofilament absorbable sutures, Maxon and PDS, were equally effective in experimental wounds.	
<b>Diagnosis and Treatment of Duodenoenteric Fistulas Complicating Crohn's Disease</b> . . . . .	712
Kenneth K. W. Lee, MD, Wolfgang H. Schraut, MD, Chicago, Ill	
• In patients with Crohn's disease, duodenoenteric fistulas were due to enterocolonic rather than duodenal Crohn's disease.	
<b>Excision of the Burn Wound in Patients With Large Burns</b> . . . . .	718
William F. McManus, MD; Arthur D. Mason, Jr, MD; Basil A. Pruitt, Jr, MD, Fort Sam Houston, Tex	
• The apparent advantages of excision of large burn wounds may only reflect patient selection.	
<b>Diagnostic Pneumoperitoneum in the Pediatric Patient With a Unilateral Inguinal Hernia</b> . . . . .	721
Gregory A. Timberlake, MD; M. Gage Ochsner, MD; Randall W. Powell, MD, San Diego, Calif	
• In pediatric patients, intraoperative pneumoperitoneum during inguinal herniorrhaphy was used to diagnose a contralateral hernia.	
<b>Prostaglandin E<sub>2</sub> in Pyloric Stenosis</b> . . . . .	724
Gideon Goldman, MD; Elsa Tiomny, MD; Perry J. Kahn, MD; Dalia Somjen, PhD; Zamir Halpern, MD; Tuvia Gilat, MD; Theodor Wiznitzer, MD, Tel-Aviv, Israel	
• Decreased PGE <sub>2</sub> levels were present in patients with pyloric obstruction.	
<b>The Effect of Endotoxin on Glucose Metabolism in Skeletal Muscle Requires the Presence of Plasma</b> . . . . .	727
Joseph F. Amaral, MD; Jeffrey D. Shearer, MA; Balduino Mastrofrancesco, MS; Donald S. Gann, MD; Michael D. Caldwell, MD, PhD, Providence, RI	
• Endotoxin does not have a direct effect on glucose uptake of skeletal muscle.	
<b>Hypertonic Saline Resuscitation in a Porcine Model of Severe Hemorrhagic Shock</b> . . . . .	733
Gregory G. Stanford, MD; C. Richard Patterson, MD; Lynda Payne, RN; Timothy C. Fabian, MD, Memphis, Tenn	
• Hypertonic saline was effective in resuscitating pigs with hemorrhagic shock.	
<b>CLINICAL NOTES</b>	
<b>Percutaneous Nephrostomy in the Management of Renal Candidiasis</b> . . . . .	739
Orlando Ortiz, MD, Won J. Lee, MD, New Hyde Park, NY	
• Percutaneous nephrostomy allowed drainage, extraction of the fungus ball, and irrigation with amphotericin B.	
<b>Echinococcal Disease in an Extended Family and Review of the Literature</b> . . . . .	741
CPT Franco Musio, MC, USA, Dimitrios Linos, MD, Athens, Greece	
• Echinococcal disease developed in seven of 11 members of an extended family group.	
<b>BRIEF CLINICAL NOTES</b>	
<b>Emergent Endoscopic Retrograde Cholangiopancreatography: A Highly Specific Test for Acute Pancreatic Trauma</b> . . . . .	745
Sharon R. Hayward, MD; Charles E. Lucas, MD; Choichi Sugawa, MD; Anna M. Ledgerwood, MD, Detroit, Mich	
• A normal pancreatogram ruled out pancreatic transection in this trauma patient.	
<b>Percutaneous Transhepatic Ultrasonic Cholelithotripsy</b> . . . . .	747
Anurag K. Das, MD; John L. Weinerth, MD; Steven C. Rose, MD; R. Randal Bollinger, MD, PhD, Durham, NC	
• Transhepatic lithotripsy was utilized to remove gallstones in this patient.	
<b>TECHNIQUE</b>	
<b>Argon Laser Treatment of Radiation Proctitis</b> . . . . .	749
John J. O'Connor, MD, Bethesda, Md	
<b>REGULAR DEPARTMENTS</b>	
<b>Correspondence and Brief Communications</b> . . . . .	751
<b>Index to Advertisers</b> . . . . .	644
<b>Instructions for Authors</b> . . . . .	737