

COMMENTARIES

- Fragmentation in General Surgery: The Case of Head and Neck Surgery** 1013
Paul Friedmann, MD, Springfield, Mass
- Alexis Carrel: A Century Later** 1014
W. Sterling Edwards, MD, Albuquerque, NM

ORIGINAL ARTICLES

- Rhabdomyosarcoma: Contemporary Status and Future Directions: The Lucy Wortham James Clinical Research Award** 1015
Sarah S. Donaldson, MD, Stanford, Calif
● The varied biology and multidisciplinary management of this tumor in 1600 children is surveyed.
- Hepatic Resection for Metastatic Colorectal Cancer** 1021
Hepatic Resection for Metastases From Colorectal Carcinoma Is of Dubious Value
William Silen, MD, Boston, Mass
The Resection of Hepatic Metastases: Another View
Martin A. Adson, MD, Rochester, Minn
● Two experienced and knowledgeable surgeons look at the pros and cons of hepatic resection for colorectal metastasis.
- Hepatic Resection in 120 Patients With Hepatocellular Carcinoma** 1025
Miin-Fu Chen, MD, Tsann-Long Hwang, MD, Long-Bin Bejamin Jeng, MD, Yi-Yin Jan, MD, Chia-Siu Wang, MD, Fong-Fu Chou, MD, Taipei, Republic of China
● Better techniques for diagnosis of hepatocellular carcinoma have improved the resection and survival rates.
- Surgical Treatment of Recurrent Colorectal Cancer: Five-Year Follow-up** 1029
Jyrki Mäkelä, MD, Kari Haukipuro, MD, Seppo Laitinen, MD, Matti I. Kairaluoma, MD, Oulu, Finland
● Resectional surgery can improve both survival and patient comfort in recurrent colorectal cancer.
- Improved Early Results of Elective Hepatic Resection for Liver Tumors: One Hundred Consecutive Hepatectomies in Cirrhotic and Noncirrhotic Patients** 1033
Dominique Franco, MD, Villejuif, France; Claude Smadja, MD, Bicêtre, France; Jonathan L. Meakins, MD, Andrew Wu, MD, Laurent Berthou, MD, Didier Grange, MD, Evry, France
● Liver resection for neoplasms can be performed with low morbidity and mortality.
- Preoperative Screening for HIV Infection: A Balanced View for the Practicing Surgeon** 1038
Arthur M. Fournier, MD, Robert Zeppa, MD, Miami, Fla
● The risk to surgeons and the reliability of screening tests are factors to be considered in routine preoperative screening.
- Selective vs Routine Use of Intraoperative Cholangiography: An Argument** 1041
Michael D. Pasquale, MD, Russell J. Nauta, MD, Washington, DC
Invited Commentary: Robert E. Hermann, MD, Cleveland, Ohio
● Criteria for selective intraoperative cholangiography were determined by this retrospective review.
- Evaluation of Right Hemicolectomy for Unexpected Cecal Mass** 1043
Jay A. Riseman, MD, Keith Wichterman, MD, Springfield, Ill
● Of 13 patients undergoing a right colectomy for a cecal mass, one had a cecal cancer.

The ARCHIVES OF SURGERY (ISSN 0004-0010) is published monthly by the American Medical Association, 535 N Dearborn St, Chicago, IL 60610, and is an official publication of the Association. Second-class postage paid at Chicago, IL 60610, and at additional mailing office.

SUBSCRIPTION RATES—The subscription rates for the ARCHIVES OF SURGERY are as follows: \$50 for one year, \$85 for two years in the United States and US possessions; all other countries, one year, \$60; two years, \$105 for surface delivery. (For expedited air delivery to most countries, add \$15 surcharge for one year subscription, \$30 for two years.) Rates for subscriptions for delivery to Japan or South Korea are available through exclusive agents—contact the publisher. **Special rates for residents and medical students in the United States and US Possessions are available.** Address inquiries to the American Medical Association, Circulation

and Fulfillment Division, 535 N Dearborn St, Chicago, IL 60610. Phone: (312)280-7168.

CHANGE OF ADDRESS—POSTMASTER, send all address changes to the ARCHIVES OF SURGERY, Attention: Subscription Department, 535 N Dearborn St, Chicago, IL 60610. Notification of address change must be made at least six weeks in advance, include both old and new addresses, a recent mailing label, and your new zip code.

Advertising Principles: Each advertisement in this issue has been reviewed and complies with the principles governing advertising in AMA scientific publications. A copy of these principles is available on request. The appearance of advertising in AMA publications is not an AMA guarantee or endorsement of the product or the claims made for the product by the manufacturer.

CONTENTS—Continued

Thyroid Cancer With Coexistent Hashimoto's Thyroiditis: Clinical Assessment and Management 1045
Burton L. Eisenberg, MD, Samuel D. Hensley, MD, San Antonio, Tex
● Hashimoto's thyroiditis was found to be present in 11% of patients with thyroid cancer.

Patterns of Relapse in 1001 Consecutive Patients With Melanoma Nodal Metastases 1051
Annamaria Calabro, MD, S. Eva Singletary, MD, Charles M. Balch, MD, Houston, Tex
● Tumor recurrence with one nodal or no extranodal invasion was lower than in patients with multiple nodal and connective tissue invasion.

Prognostic Factors in Gastric Cancer With Serosal Invasion: Univariate and Multivariate Analyses 1061
Hideo Baba, MD, Daisuke Korenaga, MD, Takeshi Okamura, MD, Atsushi Saito, MD, Keizo Sugimachi, MD, Fukuoka, Japan
● With serosal invasion or secondary or tertiary nodal involvement, postoperative intensive chemotherapy is recommended.

Median Sternotomy for Implantable Cardioverter/Defibrillator 1065
Bradford M. Blakeman, MD, David Wilber, MD, Roque Pifarre, MD, Maywood, Ill
● Median sternotomy continues to be the method of choice for insertion of automatic implantable cardioverter/defibrillator.

Cardiopulmonary Effects of Pressure Support Ventilation 1067
James M. Hurst, MD, Richard D. Branson, RRT, Kenneth Davis, Jr, MD, Roger R. Barrette, MD, Cincinnati, Ohio
Invited Commentary: Robert H. Bartlett, MD, Ann Arbor, Mich
● Pressure support ventilation improved respiratory function and facilitated weaning.

Effect of Dichloroacetate on Plasma and Hepatic Amino Acids in Sterile Inflammation and Sepsis 1071
Thomas C. Vary, PhD, John H. Siegel, MD, Robert Placko, Ben D. Tall, PhD, J. Glenn Morris, MD, Baltimore, MD
● Liver amino acids were altered before plasma amino acids and could be improved with dichloroacetate.

The Use of Arm Veins for Intrainguinal Bypass in End-Stage Peripheral Vascular Disease 1078
James D. Balshi, MD, Nancy L. Cantelmo, MD, James O. Menzoian, MD, Frank W. LoGerfo, MD, Boston, Mass
● In the absence of autologous saphenous veins, arm veins are a preferable conduit.

CLINICAL NOTES

Perforation Complicating Rifampin-Associated Pseudomembranous Enteritis 1082
Daniel L. Miller, MD, Jeffrey D. Sedlack, MD, Richard W. Holt, MD, Washington, DC
● Enteritis with jejunal perforation was associated with rifampin therapy.

Delayed Presentation of a Right-Sided Diaphragmatic Hernia and Group B Streptococcal Sepsis: Two Case Reports and a Review of the Literature 1083
Frederick J. Rescorla, MD, Mervin C. Yoder, MD, Karen W. West, MD, Jay L. Grosfeld, MD, Indianapolis, Ind.
● Persistent respiratory symptoms in a neonate recovering from streptococcal sepsis suggest the possibility of a posterolateral hernia.

Splenosis: A Cause of Massive Gastrointestinal Hemorrhage 1087
Richard M. Basile, MD, J. Mark Morales, MD, Ralph Zupanec, MD, Pittsfield, Mass
● Nineteen years after a splenectomy for splenic rupture, this patient bled massively from splenic tissue eroding the ileum.

The Rudimentary First Rib: A Cause of Thoracic Outlet Syndrome With Arterial Compromise 1090
Fritz Baumgartner, MD, Ronald J. Nelson, MD, John M. Robertson, MD, Torrance, Calif
● Patients with thoracic outlet syndrome and rudimentary first rib should be investigated for vascular compromise.

Pancreatic Transection: A Concept of Evolving Injury 1093
H. Mathilda Horst, MD, Brack A. Bivins, MD, Detroit, Mich
● Repetitive clinical diagnostic studies are required to evaluate these patients.

TECHNIQUE

Peripheral Laser-Assisted Balloon Angioplasty: Initial Multicenter Experience in 219 Peripheral Arteries 1099
Timothy A. Sanborn, MD, David C. Cumberland, MD, Alan J. Greenfield, MD, Amir Motarjeme, MD, Donald E. Schwarten, MD, D. Richard Leachman, MD, Ernest J. Ferris, MD, Richard K. Myler, MD, Timothy C. McCowan, MD, Daniel Tatpati, MD, Robert Ginsburg, MD, Robert I. White, MD, Boston, Mass
Invited Commentary: Robert W. Hobson II, MD, Newark, NJ
● This technique provided clinical success in lesions considered impossible to treat by conventional angioplasty.

REGULAR DEPARTMENTS

Instructions for Authors 1056

Classified Advertising 1096

Index to Advertisers 1050